

# Safety Data Sheet

Issue Date: 06-Mar-2009

Revision Date: 09-Dec-2013

**1. IDENTIFICATION** 

Version 1

Product Identifier	
Product Name	

# PET CARPET SHAMPOO W/ ENZYMES

Other means of identification SDS # Product Code

5019

Recommended use of the chemical and restrictions on useRecommended UseCarpet Cleaner.

Details of the supplier of the safety data sheet

**Supplier Address** 

Namco Mfg. Inc. 1651 Blalock Rd. Houston, TX 77080

Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)

1-800-634-5816 1-800-634-5816

# 2. HAZARDS IDENTIFICATION

Appearance Clear liquid

Physical State Liquid

Odor No odor

Classification

Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2

# Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed Causes mild skin irritation

Signal Word Warning

# Hazard Statements

Harmful in contact with skin Harmful if inhaled Causes serious eye irritation



# PET CARPET SHAMPOO W/ ENZYMES

# **Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Wash face, hands and any exposed skin thoroughly after handling

#### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a poison center or doctor/physician if you feel unwell

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Toxic to aquatic life with long lasting effects

#### Unknown Acute Toxicity

11.3% of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Sodium lauryl sulfate	151-21-3	Proprietary
Sodium xylenesulfonate	1300-72-7	Proprietary
Ethylene Glycol Monobutyl Ether	111-76-2	Proprietary

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### **4. FIRST-AID MEASURES**

#### **First Aid Measures**

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. Wash contaminated clothing before reuse.
Inhalation	Remove to fresh air.
Ingestion	Induce vomiting, but only if victim is fully conscious. Call a poison center or doctor/physician if you feel unwell.

#### Most important symptoms and effects

Symptoms May cause skin and eye irritation.

# Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

### Specific Hazards Arising from the Chemical

None known.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required.		
<b>Environmental Precautions</b>	See Section 12 for additional Ecological Information.		
Methods and material for containment and cleaning up			
Methods for Containment	Prevent further leakage or spillage if safe to do so.		
Methods for Clean-Up Soak up with inert absorbent material. Place in appropriate containers for disposal.			
7. HANDLING AND STORAGE			

#### Precautions for safe handling

Advice on Safe Handling	Wash thoroughly after handling. Use personal protection recommended in Section 8. Avoid breathing vapors or mists. Use only in well-ventilated areas.
Conditions for safe storage, incl	uding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>

# Appropriate engineering controls

Engineering Controls	Local exhaust ventilation recommended.
----------------------	--

### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Risk of contact: Wear approved safety goggles.	
Skin and Body Protection	Suitable protective clothing.	
Respiratory Protection	Ensure adequate ventilation, especially in confined areas.	

General Hygiene Considerations Wash contaminated clothing before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Appearance Color	Liquid Clear liquid Clear	Odor Odor Threshold	No odor Not determined
Property pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents	Values7Not availableNot availableNoneNot availablen/a-liquidNoneNoneNot determinedNot available0.93Completely solubleNot determined	<u>Remarks</u> • Method	_
Partition Coefficient Auto-ignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties	Not determined Not determined Not determined Not determined Not determined Not determined Not determined		

# PET CARPET SHAMPOO W/ ENZYMES

# **10. STABILITY AND REACTIVITY**

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Hazardous Polymerization

Hazardous polymerization does not occur.

### Conditions to Avoid

Keep out of reach of children.

#### Incompatible Materials

None known based on information supplied.

#### Hazardous Decomposition Products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	
Eye Contact	Causes serious eye irritation.
Skin Contact	Harmful in contact with skin. Causes mild skin irritation.
Inhalation	Harmful if inhaled.
Ingestion	May be harmful if swallowed.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium lauryl sulfate 151-21-3	= 1288 mg/kg (Rat)	= 580 mg/kg (Rabbit)	> 3900 mg/m <sup>3</sup> (Rat)1 h
Sodium xylenesulfonate 1300-72-7	= 7200 mg/kg (Rat)	-	-
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (Rabbit)	= 2.21 mg/L (Rat)4 h = 450 ppm (Rat)4 h

#### Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

# PET CARPET SHAMPOO W/ ENZYMES

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Carcinogenicity

Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl	A3	Group 3		
Ether				
111-76-2				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer) Group 3 IARC components are "not classifiable as human carcinogens"

#### Numerical measures of toxicity

Not determined

#### Unknown Acute Toxicity

11.3% of the mixture consists of ingredient(s) of unknown toxicity.

# **12. ECOLOGICAL INFORMATION**

# Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Sodium lauryl sulfate	53: 72 h Desmodesmus	8 - 12.5: 96 h Pimephales		1.8: 48 h Daphnia magna
151-21-3	subspicatus mg/L EC50 30 -	promelas mg/L LC50 static		mg/L EC50
	100: 96 h Desmodesmus	15 - 18.9: 96 h Pimephales		
	subspicatus mg/L EC50 117:	promelas mg/L LC50 static		
		22.1 - 22.8: 96 h Pimephales		
	subcapitata mg/L EC50 3.59	promelas mg/L LC50 static		
		4.3 - 8.5: 96 h Oncorhynchus		
	Pseudokirchneriella	mykiss mg/L LC50 static		
	subcapitata mg/L EC50	4.62: 96 h Oncorhynchus		
	static	mykiss mg/L LC50		
		flow-through 4.2: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 7.97: 96 h Brachydanio		
		rerio mg/L LC50 flow-through		
		9.9 - 20.1: 96 h Brachydanio		
		rerio mg/L LC50 semi-static		
		4.06 - 5.75: 96 h Lepomis		
		macrochirus mg/L LC50		
		static 4.2 - 4.8: 96 h Lepomis		
		macrochirus mg/L LC50		
		flow-through 4.5: 96 h		
		Lepomis macrochirus mg/L		
		LC50 5.8 - 7.5: 96 h		
		Pimephales promelas mg/L		
		LC50 static 10.2 - 22.5: 96 h		
		Pimephales promelas mg/L		
		LC50 semi-static 6.2 - 9.6:		
		96 h Pimephales promelas		
		mg/L LC50 13.5 - 18.3: 96 h		
		Poecilia reticulata mg/L		
		LC50 semi-static 10.8 - 16.6:		
		96 h Poecilia reticulata mg/L		
		LC50 static 1.31: 96 h		
		Cyprinus carpio mg/L LC50		
		semi-static		
Ethylene Glycol Monobutyl		1490: 96 h Lepomis		1698 - 1940: 24 h Daphnia
Ether		macrochirus mg/L LC50		magna mg/L EC50 1000: 48
111-76-2		static 2950: 96 h Lepomis		h Daphnia magna mg/L
111-70-2		macrochirus mg/L LC50		EC50

# Persistence/Degradability

Not determined.

#### Bioaccumulation

Not determined.

### Mobility

Chemical Name	Partition Coefficient
Sodium lauryl sulfate	1.6
151-21-3	
Ethylene Glycol Monobutyl Ether	0.81
111-76-2	

### **Other Adverse Effects**

Not determined

# **13. DISPOSAL CONSIDERATIONS**

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
14. TRANSPORT INFORMATION			
Note	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.		
DOT	Not regulated		
	Not regulated		
IMDG Marine Pollutant	This material may meet the definition of a marine pollutant		

# **15. REGULATORY INFORMATION**

# International Inventories

Not determined

### US Federal Regulations

### <u>SARA 313</u>

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	Proprietary	1.0

#### US State Regulations

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethylene Glycol Monobutyl Ether	Х	Х	Х
111-76-2			

# **16. OTHER INFORMATION**

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	<b>Physical Hazards</b>	Personal Protection
	1	0	0	Not determined
Issue Date:	06-Mar-	2009		

09-Dec-2013

New format

#### **Disclaimer**

**Revision Date:** 

**Revision Note:** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**