



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/06/2015

Reviewed on 05/06/2015

www.janicoinc.com

1 Identification

- Product identifier
- *Trade name: Soap Filled Steel Wool Pads
- Relevant identified uses of the substance or mixture and uses advised against
- Product description Cleaning product
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Janico, Inc.

687 Prospect St.

Unit 480

Lakewood, NJ 08701 Phone: (732) 370-2223 Fax: (732) 370-2230

* Emergency telephone number:

PERS Emergency Response: Domestic and Canada - 1-800-633-8253, International 1-801-629-0667

2 Hazard(s) identification

Classification of the substance or mixture



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2B H320 Causes eye irritation.

- Label elements
- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS07

- Signal word Warning
- · Hazard statements

Harmful if swallowed or if inhaled.

Causes skin and eye irritation.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If swallowed: Call a poison center/doctor if you feel unwell.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/06/2015

Reviewed on 05/06/2015

Trade name: Soap Filled Steel Wool Pads

Call a poison center/doctor if you feel unwell.

If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

Rinse mouth.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Unknown acute toxicity:

89.4 percent of the mixture consists of ingredient(s) of unknown toxicity.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 2 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2
Fire = 0
Reactivity =

REACTIVITY | Reactivity = 0

Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on ingredients

- Chemical characterization: Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous Components:

Sodium palmitate

Eye Irrit. 2A, H319

70-90%

4 First-aid measures

- Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness, place patient securely on side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

· After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Immediately call a doctor.
- Information for doctor:
- * Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed.

 No further relevant information available.

(Contd. on page 3)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/06/2015

Reviewed on 05/06/2015

Trade name: Soap Filled Steel Wool Pads

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment:

Mouth respiratory protective device.

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: No special measures required.
- *Conditions for safe storage, including any incompatibilities
- "Storage:
- * Requirements to be met by storerooms and receptacles: No special requirements.
- *Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation of this SDS were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/06/2015

Reviewed on 05/06/2015

Trade name: Soap Filled Steel Wool Pads

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes and skin.
- * Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information
- Appearance:

Form:

Solid

Color:

Grey

· Odor:

Characteristic

· Odor threshold:

Not determined.

PH-value:

Not applicable.

· Change in condition

Melting point/Melting range:

Not determined.

Boiling point/Boiling range:

100 °C (212 °F)

Flash point:

Not applicable.

Flammability (solid, gaseous):

Not determined.

· Ignition temperature:

Decomposition temperature:

Not determined.

· Auto igniting:

Product is not self-igniting.

* Danger of explosion:

Product does not present an explosion hazard.

Explosion limits:

Lower:

0.0 Vol %

(Contd. on page 5)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/06/2015

Reviewed on 05/06/2015

Trade name: Soap Filled Steel Wool Pads

Upper:

0.0 Vol %

· Vapor pressure @ 20 °C (68 °F):

23 hPa (17 mm Hg)

Density:

Relative density Vapor density Evaporation rate

Not determined. Not applicable.

Not applicable.

Solubility in / Miscibility with

Water:

Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic:

Not applicable.

Kinematic:

Not applicable.

Solvent content:

Organic solvents:

0.1 %

Water:

11.4 %

Solids content:

78.3 %

Other information

No further relevant information available.

0 Stability and reactivity

- *Reactivity No further relevant information available.
- * Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- *Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: Strong oxidizing agents.
- · Hazardous decomposition products: No dangerous decomposition products known.

- Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye:

Irritating effect.

Causes serious eye irritation.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

- Carcinogenic categories
- * IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

· NTP (National Toxicology Program)

None of the ingredients are listed.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/06/2015

Reviewed on 05/06/2015

Trade name: Soap Filled Steel Wool Pads

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological Information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- * General notes: Not known to be hazardous to water.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- Recommendation: Recycle or dispose with household trash.
- *Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number

DOT, ADR, IMDG, IATA

Non-Regulated Material

UN proper shipping name

DOT, ADR, IMDG, IATA

Non-Regulated Material

Transport hazard class(es)

DOT, ADR, IMDG, IATA

·Class

Non-Regulated Material

Packing group

DOT, ADR, IMDG, IATA

Non-Regulated Material

· Environmental hazards:

Not applicable.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable.

* UN "Model Regulation":

Not applicab

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

(Contd. on page 7)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/06/2015

Reviewed on 05/06/2015

Trade name: Soap Filled Steel Wool Pads

TSCA (Toxic Substances Control Act):

1310-73-2 Sodium Hydroxide

56-81-5 Glycerol

7732-18-5 water, distilled, conductivity or of similar purity

- California Proposition 65
- *Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic categories
- EPA (Environmental Protection Agency)

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



Signal word Warning

*Hazard statements

Harmful if swallowed or if inhaled.

Causes skin and eye irritation.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If swallowed: Call a poison center/doctor if you feel unwell.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/06/2015

Reviewed on 05/06/2015

Trade name: Soap Filled Steel Wool Pads

Rinse mouth.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

State Right to Know

clate ragin to raion		
	Sodium palmitate ① Eye Irrit. 2A, H319	70-90%
CAS: 7732-18-5 RTECS: ZC 0110000	water, distilled, conductivity or of similar purity	15-35%
CAS: 1310-73-2	Sodium Hydroxide Skin Corr. 1A, H314	≤ 2.5%
CAS: 56-81-5 RTECS: MA 8050000	Glycerol ♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319	≤ 2.5%
56-81-5 Glycerol		0.13%
01-1-1-6	4 4 01 1 10 5 4 4	

*Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Date of preparation / last revision 05/06/2015 / -

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

* * Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com (877) 204-9106