



## SAFETY DATA SHEET

### POOL LOGIC® THINK CLEAR STABILIZED CHLORINATING CONCENTRATE IN LARGE 3" TABLETS

#### 1. Identification

##### Product identifier

**Product name** POOL LOGIC® THINK CLEAR STABILIZED CHLORINATING CONCENTRATE IN LARGE 3" TABLETS

**Internal identification** EPA Reg No. 42177-18

##### Recommended use of the chemical and restrictions on use

**Application** Swimming pool sanitizer

**Uses advised against** No specific uses advised against are identified.

##### Details of the supplier of the safety data sheet

**Supplier** Aliance Trading Inc.  
109 NorthPark Boulevard 4th Floor  
Covington LA 70433  
(985) 892-5521

**Manufacturer** HEZE HUAYI CHEMICAL CO., LTD.  
13 East Qungnian Road,  
Juancheng, Shandong, China  
+86-5302411246

##### Emergency telephone number

**Emergency telephone** (ChemTel) +1-800 255-3924; INTL +1- 813 248-0585

#### 2. Hazard(s) identification

##### Classification of the substance or mixture

**OSHA Regulatory Status** This Product is Hazardous under the OSHA Hazard Communication Standard.

**Physical hazards** Ox. Sol. 3 - H272

**Health hazards** Acute Tox. 4 - H302 Eye Irrit. 2A - H319 STOT SE 3 - H335

**Environmental hazards** Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

##### Label elements

##### Hazard symbols



**Signal word**

Warning

# POOL LOGIC® THINK CLEAR STABILIZED CHLORINATING CONCENTRATE IN LARGE 3" TABLETS

<b>Hazard statements</b>	H272 May intensify fire; oxidizer. H302 Harmful if swallowed. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H410 Very toxic to aquatic life with long lasting effects.
<b>Precautionary statements</b>	P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking. P220 Keep away from combustible materials. P221 Take any precaution to avoid mixing with combustibles. P261 Avoid breathing dust. P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P312 If swallowed: Call a poison center/ doctor if you feel unwell. P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P330 Rinse mouth. P337+P313 If eye irritation persists: Get medical advice/ attention. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P391 Collect spillage. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/ container in accordance with national regulations.
<b>Contains</b>	Trichloroisocyanuric acid
<b>Biocide Labeling</b>	This product contains substances with biocidal properties.

## Other hazards

This product does not contain any substances classified as PBT or vPvB.

### 3. Composition/information on ingredients

#### Mixtures

<b>Trichloroisocyanuric acid</b>	<b>&gt;99</b>
CAS number: 87-90-1	
M factor (Acute) = 1	M factor (Chronic) = 1

#### Classification

Ox. Sol. 2 - H272  
Acute Tox. 4 - H302  
Eye Irrit. 2A - H319  
STOT SE 3 - H335  
Aquatic Acute 1 - H400  
Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

### 4. First-aid measures

#### Description of first aid measures

**General information** Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.

## POOL LOGIC® THINK CLEAR STABILIZED CHLORINATING CONCENTRATE IN LARGE 3” TABLETS

<b>Inhalation</b>	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
<b>Skin Contact</b>	Rinse with water.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.

**Most important symptoms and effects, both acute and delayed**

<b>General information</b>	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	A single exposure may cause the following adverse effects: Irritation of nose, throat and airway. Difficulty in breathing. Coughing.
<b>Ingestion</b>	May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.
<b>Skin contact</b>	Prolonged contact may cause dryness of the skin.
<b>Eye contact</b>	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.

**Indication of immediate medical attention and special treatment needed**

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

<b>5. Fire-fighting measures</b>
----------------------------------

**Extinguishing media**

<b>Suitable extinguishing media</b>	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

**Special hazards arising from the substance or mixture**

<b>Specific hazards</b>	May cause or intensify fire; oxidizer. This product is toxic.
<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Toxic gases or vapors.

**Advice for firefighters**

## POOL LOGIC® THINK CLEAR STABILIZED CHLORINATING CONCENTRATE IN LARGE 3" TABLETS

<b>Protective actions during firefighting</b>	Avoid breathing fire gases or vapors. Evacuate area. Keep upwind to avoid inhalation of gases, vapors, fumes and smoke. Ventilate closed spaces before entering them. May cause or intensify fire; oxidizer. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Avoid inhalation of dust. Use suitable respiratory protection if ventilation is inadequate.
-----------------------------	---

#### Environmental precautions

<b>Environmental precautions</b>	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.
----------------------------------	---

#### Methods and material for containment and cleaning up

<b>Methods for cleaning up</b>	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Do not use sawdust or other combustible material. Provide adequate ventilation. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Neutralize with alkali. Caution. May generate heat. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.
--------------------------------	--

<b>Reference to other sections</b>	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
------------------------------------	---

### 7. Handling and storage

#### Precautions for safe handling

<b>Usage precautions</b>	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
--------------------------	---

<b>Advice on general occupational hygiene</b>	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.
---	---

#### Conditions for safe storage, including any incompatibilities

## POOL LOGIC® THINK CLEAR STABILIZED CHLORINATING CONCENTRATE IN LARGE 3" TABLETS

**Storage precautions** Store away from incompatible materials (see Section 10). Store locked up. Keep away from flammable and combustible materials. Store away from the following materials: Alkalis. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Utilize retaining walls to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.

**Storage class** Oxidizer storage.

**Specific end uses(s)**

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

**8. Exposure controls/Personal protection**

**Exposure controls**

**Protective equipment**



**Appropriate engineering controls**

Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimize worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimize exposure.

**Eye/face protection**

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with OSHA 1910.133. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

**Hand protection**

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and be demonstrated to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

**Other skin and body protection**

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

**Hygiene measures**

Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.

## POOL LOGIC® THINK CLEAR STABILIZED CHLORINATING CONCENTRATE IN LARGE 3" TABLETS

<b>Respiratory protection</b>	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should comply with OSHA 1910.134.
<b>Environmental exposure controls</b>	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

<b>Appearance</b>	Solid. Tablet.
<b>Color</b>	White.
<b>Odor</b>	Characteristic.
<b>Odor threshold</b>	No information available.
<b>pH</b>	pH (diluted solution): 2.7-3.3 1% 25°C Water.
<b>Melting point</b>	No information available.
<b>Initial boiling point and range</b>	Not applicable.
<b>Flash point</b>	Not applicable.
<b>Evaporation rate</b>	No information available.
<b>Flammability (solid, gas)</b>	No information available.
<b>Upper/lower flammability or explosive limits</b>	No information available.
<b>Vapor pressure</b>	No information available.
<b>Vapor density</b>	No information available.
<b>Relative density</b>	No information available.
<b>Bulk density</b>	2.07 g/cm <sup>3</sup> 25°C
<b>Solubility(ies)</b>	12 g/l water @ 25°C
<b>Partition coefficient</b>	log Kow: ~ 0.94
<b>Auto-ignition temperature</b>	No information available.
<b>Decomposition Temperature</b>	225°C
<b>Viscosity</b>	Not applicable.
<b>Other information</b>	None.

### 10. Stability and reactivity

<b>Reactivity</b>	May intensify fire; oxidizer.
-------------------	-------------------------------

## POOL LOGIC® THINK CLEAR STABILIZED CHLORINATING CONCENTRATE IN LARGE 3" TABLETS

<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
<b>Possibility of hazardous reactions</b>	May cause or intensify fire; oxidizer. Reactions with the following materials may cause explosions: Organic compounds. Oxides of nitrogen. Ammonia. Oxidizing substance Reducing agents. Water
<b>Conditions to avoid</b>	Avoid heat, flames and other sources of ignition. Protect from moisture.
<b>Materials to avoid</b>	Alkalis. Amines. Reducing agents. Flammable/combustible materials. Hydrocarbons. Organic cyanides (nitriles). Esters. Some metals. Ammonia.
<b>Hazardous decomposition products</b>	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapors. Chlorine. Oxides of nitrogen. Phosgene (COCl <sub>2</sub> ).

### 11. Toxicological information

#### Information on toxicological effects

##### Acute toxicity - oral

**Summary** Harmful if swallowed.

**ATE oral (mg/kg)** 505.05

##### Acute toxicity - dermal

**Summary** Based on available data the classification criteria are not met.

##### Acute toxicity - inhalation

**Summary** Based on available data the classification criteria are not met.

##### Skin corrosion/irritation

**Summary** Based on available data the classification criteria are not met.

**Extreme pH** Moderate pH ( > 2 and < 11.5).

##### Serious eye damage/irritation

**Summary** Causes serious eye damage.

##### Respiratory sensitization

**Summary** Based on available data the classification criteria are not met.

##### Skin sensitization

**Summary** Based on available data the classification criteria are not met.

##### Germ cell mutagenicity

**Summary** Based on available data the classification criteria are not met.

##### Carcinogenicity

**Summary** Based on available data the classification criteria are not met.

**IARC carcinogenicity** None of the ingredients are listed or exempt.

##### Reproductive toxicity

**Summary** Based on available data the classification criteria are not met.

##### Specific target organ toxicity - single exposure

**Summary** May cause respiratory irritation.

## POOL LOGIC® THINK CLEAR STABILIZED CHLORINATING CONCENTRATE IN LARGE 3” TABLETS

<b>Target organs</b>	Respiratory system, lungs
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>Summary</b>	Based on available data the classification criteria are not met.
<b><u>Aspiration hazard</u></b>	
<b>Summary</b>	Not relevant. Solid.
<b>General information</b>	
	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	A single exposure may cause the following adverse effects: Irritation of nose, throat and airway. Difficulty in breathing. Coughing.
<b>Ingestion</b>	May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.
<b>Skin Contact</b>	Prolonged contact may cause dryness of the skin.
<b>Eye contact</b>	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
<b>Route of exposure</b>	Ingestion Inhalation Skin and/or eye contact
<b>Target Organs</b>	Respiratory system, lungs

<b>12. Ecological information</b>
-----------------------------------

<b><u>Acute aquatic toxicity</u></b>	
<b>Summary</b>	Very toxic to aquatic life.
<b><u>Chronic aquatic toxicity</u></b>	
<b>Summary</b>	Very toxic to aquatic life with long lasting effects.
<b><u>Persistence and degradability</u></b>	
<b>Persistence and degradability</b>	The degradability of the product is not known.
<b><u>Bioaccumulative potential</u></b>	
<b>Bio-Accumulative Potential</b>	No data available on bioaccumulation.
<b>Partition coefficient</b>	log Kow: ~ 0.94
<b><u>Mobility in soil</u></b>	
<b>Mobility</b>	The product is water-soluble and may spread in water systems.
<b><u>Other adverse effects</u></b>	
<b>Other adverse effects</b>	None known.

<b>13. Disposal considerations</b>
------------------------------------

**Waste treatment methods**

## POOL LOGIC® THINK CLEAR STABILIZED CHLORINATING CONCENTRATE IN LARGE 3" TABLETS

**General information**                    The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

**Disposal methods**                    Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

### 14. Transport information

#### UN Number

UN No. (TDG)	2468
UN No. (IMDG)	2468
UN No. (ICAO)	2468
UN No. (DOT)	UN2468

#### UN proper shipping name

Proper shipping name (TDG)	TRICHLOROISOCYANURIC ACID, DRY
Proper shipping name (IMDG)	TRICHLOROISOCYANURIC ACID, DRY
Proper shipping name (ICAO)	TRICHLOROISOCYANURIC ACID, DRY
Proper shipping name (DOT)	TRICHLOROISOCYANURIC ACID, DRY

#### Transport hazard class(es)

DOT hazard class	5.1
DOT hazard label	5.1
TDG class	5.1
TDG label(s)	5.1
IMDG Class	5.1
ICAO class/division	5.1

#### Transport labels



#### DOT transport labels



#### Packing group

# POOL LOGIC® THINK CLEAR STABILIZED CHLORINATING CONCENTRATE IN LARGE 3” TABLETS

TDG Packing Group II

IMDG packing group II

ICAO packing group II

DOT packing group II

## Environmental hazards

### Environmentally Hazardous Substance

No.

### Special precautions for user

EmS F-G, S-Q

## 15. Regulatory information

**Regulatory References** OSHA Hazard Communication Standard 29 CFR §1910.1200

### US Federal Regulations

#### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are listed.

#### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are listed.

#### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are listed.

#### **SARA 313 Emission Reporting**

None of the ingredients are listed.

#### **CAA Accidental Release Prevention**

None of the ingredients are listed.

#### **FDA - Essential Chemical**

None of the ingredients are listed or exempt.

#### **FDA - Precursor Chemical**

None of the ingredients are listed or exempt.

#### **SARA (311/312) Hazard Categories**

Acute toxicity (any route of exposure)  
Oxidizer (liquid, solid or gas)  
Serious eye damage or eye irritation  
Specific target organ toxicity (single or repeated exposure)

#### **OSHA Highly Hazardous Chemicals**

None of the ingredients are listed.

### US State Regulations

#### **California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed or exempt.

#### **California Air Toxics "Hot Spots" (A-I)**

None of the ingredients are listed.

## POOL LOGIC® THINK CLEAR STABILIZED CHLORINATING CONCENTRATE IN LARGE 3” TABLETS

### California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

### California Directors List of Hazardous Substances

The following ingredients are listed:

### Massachusetts "Right To Know" List

The following ingredients are listed:

### Rhode Island "Right To Know" List

The following ingredients are listed:

### Minnesota "Right To Know" List

None of the ingredients are listed.

### New Jersey "Right To Know" List

All ingredients are listed.

### Pennsylvania "Right To Know" List

All ingredients are listed.

### Inventories

#### EU - EINECS/ELINCS

EINECS

#### Canada - DSL/NDSL

DSL

#### US - TSCA

Present.

#### Australia - AICS

Present.

#### Japan - ENCS

Present.

#### Korea - KECI

Present.

#### China - IECSC

Present.

#### Philippines - PICCS

Present.

#### New Zealand - NZIOC

Present.

### 16. Other information

## POOL LOGIC® THINK CLEAR STABILIZED CHLORINATING CONCENTRATE IN LARGE 3" TABLETS

<b>Abbreviations and acronyms used in the safety data sheet</b>	<p>TDG: The transport of dangerous goods act</p> <p>IATA: International air transport association. ICAO: Technical instructions for the safe transport of dangerous goods by air. IMDG: International maritime dangerous goods. CAS: Chemical abstracts service. ATE: Acute toxicity estimate. LC<sub>50</sub>: Lethal concentration to 50 % of a test population. LD<sub>50</sub>: Lethal dose to 50% of a test population (median lethal dose). EC<sub>50</sub>: 50% of maximal effective concentration. PBT: Persistent, bioaccumulative and toxic substance. vPvB: Very persistent and very bioaccumulative.</p>
<b>Classification abbreviations and acronyms</b>	<p>Ox. Sol. = Oxidising solid Acute Tox. = Acute toxicity Eye Dam. = Serious eye damage STOT SE = Specific target organ toxicity-single exposure Aquatic Acute = Hazardous to the aquatic environment (acute) Aquatic Chronic = Hazardous to the aquatic environment (chronic)</p>
<b>Training advice</b>	<p>Read and follow manufacturer's recommendations. Only trained personnel should use this material.</p>
<b>Revision date</b>	<p>9/23/2020</p>
<b>SDS No.</b>	<p>425</p>
<b>Hazard statements in full</b>	<p>H272 May intensify fire; oxidizer. H302 Harmful if swallowed. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.</p>
<b>End of Safety Data Sheet</b>	

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.