# 352045

Page 1/10


Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date 30.04.2014

Revision: 30.04.2014



Printing date 30.04.2014

Г

Revision: 30.04.2014

		Contd. of pa
• NFPA ratings (scale 0 -	4)	
Health = 0 Fire = 1		
$\begin{array}{c} 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 $		
· HMIS-ratings (scale 0 -	4)	
HEALTH I Health = 0		
FIRE 1 Fire = 1		
Reactivity O Reactivity = (	)	
· HMIS Long Term Health	Hazard Substances	
None of the ingredients is	s listed.	
· 2.3 Other hazards		
· Results of PBT and vPv	B assessment	
• <b>PBT</b> • Not applicable		
• <b>PBT:</b> Not applicable.		
<ul> <li><b>PBT:</b> Not applicable.</li> <li><b>vPvB:</b> Not applicable.</li> </ul>		
• <b>vPvB:</b> Not applicable.	nation on ingredients	
• <b>vPvB:</b> Not applicable.	nation on ingredients	
• vPvB: Not applicable.  B Composition/inform • 3.2 Mixtures		
• vPvB: Not applicable.  B Composition/inform • 3.2 Mixtures	nation on ingredients substances listed below with nonhazardous additions.	-
• vPvB: Not applicable. 8 Composition/inform • 3.2 Mixtures • Description: Mixture of s • Dangerous components	substances listed below with nonhazardous additions.	
• vPvB: Not applicable. B Composition/inform • 3.2 Mixtures • Description: Mixture of s • Dangerous components None in reportable quanti	substances listed below with nonhazardous additions.	
• vPvB: Not applicable. B Composition/inform • 3.2 Mixtures • Description: Mixture of s • Dangerous components None in reportable quanti CAS: 64-17-5	substances listed below with nonhazardous additions. s: ties. ethanol	< 1
• vPvB: Not applicable. B Composition/inform • 3.2 Mixtures • Description: Mixture of s • Dangerous components None in reportable quanti CAS: 64-17-5 EINECS: 200-578-6	substances listed below with nonhazardous additions. s: ties. ethanol R F R11	<1
• vPvB: Not applicable. • Composition/inform • 3.2 Mixtures • Description: Mixture of s • Dangerous components None in reportable quanti CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-0	eubstances listed below with nonhazardous additions. s: ties. ethanol F R11 0-5  Flam. Liq. 2, H225	
<ul> <li>vPvB: Not applicable.</li> <li>B Composition/inform</li> <li>3.2 Mixtures</li> <li>Description: Mixture of s</li> <li>Dangerous components None in reportable quanti</li> <li>CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-0</li> <li>CAS: 68439-46-3</li> </ul>	eubstances listed below with nonhazardous additions. s: ties. ethanol 0-5  Flam. Liq. 2, H225 alcohols, C9-11, ethoxylated	
• vPvB: Not applicable. • Composition/inform • 3.2 Mixtures • Description: Mixture of s • Dangerous components None in reportable quanti CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-0	eubstances listed below with nonhazardous additions. s: ties. ethanol F R11 0-5 Flam. Liq. 2, H225 alcohols, C9-11, ethoxylated Xi R38-41	
<ul> <li>vPvB: Not applicable.</li> <li>B Composition/inform</li> <li>3.2 Mixtures</li> <li>Description: Mixture of s</li> <li>Dangerous components None in reportable quanti</li> <li>CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-0</li> <li>CAS: 68439-46-3</li> </ul>	eubstances listed below with nonhazardous additions. s: ties. ethanol 0-5  Flam. Liq. 2, H225 alcohols, C9-11, ethoxylated	
<ul> <li>vPvB: Not applicable.</li> <li>B Composition/inform</li> <li>3.2 Mixtures</li> <li>Description: Mixture of s</li> <li>Dangerous components None in reportable quanti</li> <li>CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-0</li> <li>CAS: 68439-46-3</li> </ul>	substances listed below with nonhazardous additions. s: ties. ethanol F R11 0-5 Flam. Liq. 2, H225 alcohols, C9-11, ethoxylated Xi R38-41 Eye Dam. 1, H318	
• vPvB: Not applicable. B Composition/inform • 3.2 Mixtures • Description: Mixture of s • Dangerous components None in reportable quanti CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-0 CAS: 68439-46-3 NLP: 500-446-0	substances listed below with nonhazardous additions. s: ties. ethanol F R11 0-5 Flam. Liq. 2, H225 alcohols, C9-11, ethoxylated Xi R38-41 Eye Dam. 1, H318 Skin Irrit. 2, H315 Alkyl (C12,C14,C16) Dimethyl Benzyl Ammonium Chloride C R34; X R22; X i R41; N R50	
• vPvB: Not applicable. B Composition/inform • 3.2 Mixtures • Description: Mixture of s • Dangerous components None in reportable quanti CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-0 CAS: 68439-46-3 NLP: 500-446-0 CAS: 68424-85-1	substances listed below with nonhazardous additions. s: ties. ethanol F R11 0-5 Flam. Liq. 2, H225 alcohols, C9-11, ethoxylated Xi R38-41 Eye Dam. 1, H318 Skin Irrit. 2, H315 Alkyl (C12,C14,C16) Dimethyl Benzyl Ammonium Chloride C R34; Xn R22; Xi R41; N R50 Flam. Liq. 3, H226	
• vPvB: Not applicable. B Composition/inform • 3.2 Mixtures • Description: Mixture of s • Dangerous components None in reportable quanti CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-0 CAS: 68439-46-3 NLP: 500-446-0 CAS: 68424-85-1	substances listed below with nonhazardous additions. s: ties. ethanol F R11 0-5 Flam. Liq. 2, H225 alcohols, C9-11, ethoxylated Xi R38-41 Eye Dam. 1, H318 Skin Irrit. 2, H315 Alkyl (C12,C14,C16) Dimethyl Benzyl Ammonium Chloride C R34; X R22; X i R41; N R50	<pre>&lt; 1 </pre>

# 4 First aid measures

· 4.1 Description of first aid measures

- General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)

Printing date 30.04.2014

Revision: 30.04.2014

Trade name: D-O v.3

(Contd. of page 2) · After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. · After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. · 4.2 Most important symptoms and effects, both acute and delayed Headache Dizziness · Hazards Condition may deteriorate with alcohol consumption. • 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **5** Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

## 6 Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Pick up mechanically.

Clean the affected area carefully; suitable cleaners are:

- Warm water
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Printing date 30.04.2014

#### Trade name: D-O v.3

See Section 13 for disposal information.

## 7 Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. • Information about fire - and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Avoid storage near extreme heat, ignition sources or open flame.
- Information about storage in one common storage facility: Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

- Further information about storage conditions: Keep container tightly sealed. Protect from frost.
- · 7.3 Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

### 64-17-5 ethanol

- PEL (USA) 1900 mg/m<sup>3</sup>, 1000 ppm
- REL (USA) 1900 mg/m<sup>3</sup>, 1000 ppm
- TLV (USA) Short-term value: 1880 mg/m<sup>3</sup>, 1000 ppm
- EL (Canada) Short-term value: 1000 ppm
- EV (Canada) 1,900 mg/m<sup>3</sup>, 1,000 ppm
- DNELs No further relevant information available.
- **PNECs** No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

• Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 5)

(Contd. of page 3)

Revision: 30.04.2014

Printing date 30.04.2014

Revision: 30.04.2014

· Protection of hands:	(Contd. of page
- State - Stat	
Protective gloves	
The place meterial has to be immediate	
	eable and resistant to the product/ the substance/ the preparation. andation to the glove material can be given for the product/ tl
preparation/ the chemical mixture.	
	consideration of the penetration times, rates of diffusion and the
degradation. • Material of gloves	
	does not only depend on the material, but also on further marks
quality and varies from manufactu	arer to manufacturer. As the product is a preparation of sever
	we material can not be calculated in advance and has therefore to
checked prior to the application. • Penetration time of glove material	
0	be found out by the manufacturer of the protective gloves and has
be observed.	
• •	made of the following materials are suitable: Rubber gloves
• Eye protection: Contact lenses should not be worn.	
Safety glasses	
• Body protection: Protective work clo	
Body protection: Protective work classical content of the second supervision of exponent of the second supervision of exponent of the second supervision supervision of the second supervision supervision of the second supervision superv	osure into the environment
<ul> <li>Body protection: Protective work close</li> <li>Limitation and supervision of exponential exponenti exponenti</li></ul>	osure into the environment
Body protection: Protective work classifier of the second supervision of exponent of the second	ble.
<ul> <li>Body protection: Protective work close</li> <li>Limitation and supervision of exponential exponenti exponenti</li></ul>	osure into the environment ble.
<ul> <li>Body protection: Protective work close</li> <li>Limitation and supervision of exponent of the second sec</li></ul>	osure into the environment ble.
<ul> <li>Body protection: Protective work close</li> <li>Limitation and supervision of exponent of the second sec</li></ul>	osure into the environment ble. on. ble.
Body protection: Protective work classifier of the second se	osure into the environment ble. on. ble. erties
<ul> <li>Body protection: Protective work classifier of the second s</li></ul>	osure into the environment ble. on. ble. erties
Body protection: Protective work classifier of the second se	osure into the environment ble. on. ble. erties
<ul> <li>Body protection: Protective work classifier of expension of expension of expension of expension of expension of expension of the expension of the</li></ul>	osure into the environment ble. on. ble. erties and chemical properties Liquid
<ul> <li>Body protection: Protective work classing of the second sec</li></ul>	besite into the environment able. erties and chemical properties Liquid Yellow
<ul> <li>Body protection: Protective work classing of the second sec</li></ul>	erties and chemical properties Liquid Yellow Pleasant
<ul> <li>Body protection: Protective work classifier of the second secon</li></ul>	besite into the environment able. ion. ble. erties and chemical properties Liquid Yellow Pleasant Not determined.
<ul> <li>Body protection: Protective work classing of the second sec</li></ul>	erties and chemical properties Liquid Yellow Pleasant
<ul> <li>Body protection: Protective work classification and supervision of exponent of the protection of the protection</li></ul>	bestime into the environment ible. ible. erties and chemical properties Liquid Yellow Pleasant Not determined. 5,0 - 8,0
<ul> <li>Body protection: Protective work classifier of the second secon</li></ul>	besite into the environment able. ion. ble. erties and chemical properties Liquid Yellow Pleasant Not determined.

Printing date 30.04.2014

Revision: 30.04.2014

ade name: D-O v.3		
		(Contd. of page
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
Self-igniting:	Product is not self-igniting.	
Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C: Relative density Vapour density Evaporation rate	0,98 - 1,00 g/cm <sup>3</sup> Not determined. Not determined. Not determined.	
Solubility in / Miscibility with water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
<ul> <li>9.2 Other information</li> </ul>	No further relevant information available.	

# 10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with strong acids and oxidizing agents. Contact with acids releases toxic gases.
- 10.4 Conditions to avoid Store away from oxidizing agents.
- **10.5 Incompatible materials:** No further relevant information available.
- to.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides Hydrogen chloride (HCl) Chlorine compounds

(Contd. on page 7)

Printing date 30.04.2014

Revision: 30.04.2014

Trade name: D-O v.3

(Contd. of page 6)

## 11 Toxicological information

#### · 11.1 Information on toxicological effects

· Acute toxicity:

· Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: Slight irritant effect on eyes.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

## **12 Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

#### · General notes:

This statement was deduced from the properties of the single components.

Avoid transfer into the environment.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### · 12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### 13 Disposal considerations

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

#### · Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

Revision: 30.04.2014

(Contd. of page 7)

## Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 30.04.2014

Trade name: D-O v.3

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information	
· 14.1 UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Not Regulated
<ul> <li>14.2 UN proper shipping name</li> </ul>	
DOT, ADR, ADN, IMDG, IATA	Not Regulated
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Not Regulated
<ul> <li>14.4 Packing group</li> </ul>	
· DOT, ADR, IMDG, IATA	Not Regulated
<ul> <li>14.5 Environmental hazards:</li> </ul>	
• Marine pollutant:	No
<ul> <li>14.6 Special precautions for user</li> </ul>	Not applicable.
<ul> <li>Danger code (Kemler):</li> </ul>	-
<ul> <li>14.7 Transport in bulk according to Annex</li> </ul>	
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

### **15 Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65 (California):

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product. (Contd. on page 9)

Printing date 30.04.2014

Revision: 30.04.2014

Trade name: D-O v.3

	(Contd. of page
64-17-5 ethanol	
Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
64-17-5 ethanol	A3
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
64-17-5 ethanol	
Canadian Ingredient Disclosure list (limit 1%)	
None of the ingredients is listed.	
· Other regulations, limitations and prohibitive regulations	
$\cdot$ Substances of very high concern (SVHC) according to REACH, Art	icle 57
None of the ingredients is listed.	
· 15.2 Chemical safety assessment: A Chemical Safety Assessment ha	as not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H400 Very toxic to aquatic life.
- R11 Highly flammable.
- R22 Harmful if swallowed.
- R34 Causes burns.
- R38 Irritating to skin.
- R41 Risk of serious damage to eyes.
- R50 Very toxic to aquatic organisms.

(Contd. on page 10)

Printing date 30.04.2014

Revision: 30.04.2014

#### Trade name: D-O v.3

(Contd. of page 9) Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) Flam. Liq. 2: Flammable liquids, Hazard Category 2 Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com