

Printing date 19.11.2014

Revision: 19.11.2014



Printing date 19.11.2014

Revision: 19.11.2014



Printing date 19.11.2014

Trade name: Mint-O v.2

(Contd. of page 2)

Revision: 19.11.2014

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5	ethanol Xi R36; F R11 Flam. Liq. 2, H225 ↓ Eye Irrit. 2, H319	10-25%		
CAS: 68551-12-2	Linear (C12-C15) alcohol ethoxylate Xi R36/38 Skin Irrit. 2, H315; Eye Irrit. 2, H319	2,5-10%		
CAS: 119-36-8 EINECS: 204-317-7	methyl salicylate Xn R22 Acute Tox. 4, H302	2,5-10%		
CAS: 68424-85-1 EINECS: 270-325-2	Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides C R35; X Xn R22; X Xi R41; N R50 Skin Corr. 1A, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 Acute Tox. 4, H302	≤ 2,5%		
• Additional information: For	Acute Tox. 4, H302			

Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: Take affected persons out into the fresh air.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

- If skin irritation continues, consult a doctor.
- · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

• 4.2 Most important symptoms and effects, both acute and delayed Headache

Irritant to skin and mucous membranes.

(Contd. on page 4)

Printing date 19.11.2014

Revision: 19.11.2014

Trade name: Mint-O v.2

(Contd. of page 3)

Cramp Nausea Dizziness

Irritant to eyes.

· Hazards Danger of disturbed cardiac rhythm.

 \cdot 4.3 Indication of any immediate medical attention and special treatment needed

Treat skin and mucous membrane with antihistamine and corticoid preparations. If necessary oxygen respiration treatment.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- \cdot 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

- Wear fully protective suit.
- Additional information Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water spray.

Use large quantities of foam as it is partially destroyed by the product.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Use respiratory protective device against the effects of fumes/dust/aerosol.
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Particular danger of slipping on leaked/spilled product.
 6.2 Environmental precautions: Dilute with plenty of water.
 6.3 Methods and metarial for containment and elemping unit.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

 \cdot 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

(Contd. on page 5)

Printing date 19.11.2014

Revision: 19.11.2014

(Contd. of page 4)

Trade name: Mint-O v.2

Avoid splashes or spray in enclosed areas. Use only in well ventilated areas. • Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke. Do not spray onto a naked flame or any incandescent material. When heated the product forms flammable fumes.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Avoid storage near extreme heat, ignition sources or open flame. • Information about storage in one common storage facility: Store away from foodstuffs.
- Store away from oxidising agents.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

- PEL (USA) Long-term value: 1900 mg/m³, 1000 ppm
- REL (USA) Long-term value: 1900 mg/m³, 1000 ppm
- TLV (USA) Short-term value: 1880 mg/m³, 1000 ppm
- EL (Canada) Short-term value: 1000 ppm
- EV (Canada) Long-term value: 1,900 mg/m³, 1,000 ppm
- DNELs No further relevant information available.
- **PNECs** No further relevant information available.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Do not inhale gases / fumes / aerosols.
- **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 6)

Printing date 19.11.2014

Revision: 19.11.2014

(Contd. of page 5)

Trade name: Mint-O v.2

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · For the permanent contact gloves made of the following materials are suitable: Rubber gloves
- · Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment
- No further relevant information available.
- Risk management measures
- See Section 7 for additional information.
- No further relevant information available

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance: Form:

· Odour threshold:

· pH-value at 20 °C:

Colour:

· Flash point:

· Odour:

Liquid Green Pleasant Not determined. 6.5 - 7.5 · Change in condition Melting point/Melting range: Not Determined. Boiling point/Boiling range: 212 °F / 100 °C 248 °F / 120 °C

(Contd. on page 7)

Printing date 19.11.2014

Revision: 19.11.2014

ade name: Mint-O v.2		
		(Contd. of page 6)
· Flammability (solid, gaseous):	Not applicable.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapour pressure:	Not determined.	
 Density at 20 °C: Relative density Vapour density Evaporation rate 	0,98 - 1,00 g/cm ³ Not determined. Not determined. 1,6 (Butyl acetate = 1)	
 Solubility in / Miscibility with water: 	Fully miscible.	
· Partition coefficient (n-octanol/water): Not determined.	
 Viscosity: Dynamic: Kinematic: 9.2 Other information 	Not determined. Not determined. No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

• **10.3 Possibility of hazardous reactions** Reacts with strong oxidising agents.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

• **10.4 Conditions to avoid** Keep ignition sources away - Do not smoke. Store away from oxidising agents.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:
- Carbon monoxide and carbon dioxide Hydrogen chloride (HCl)

(Contd. on page 8)

Printing date 19.11.2014

Revision: 19.11.2014

Trade name: Mint-O v.2

(Contd. of page 7)

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- Sensitisation: No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

This statement was deduced from the properties of the single components.

Avoid transfer into the environment.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

(Contd. on page 9)

Revision: 19.11.2014

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date 19.11.2014

Trade name: Mint-O v.2

(Contd. of page 8) Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

· Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water only.

SECTION 14: Transport information

 · 14.1 UN-Number · DOT, ADR, ADN, IMDG, IATA · 14.2 UN proper shipping name · DOT, ADR, ADN, IMDG, IATA · 14.3 Transport hazard class(es) 	Not Regulated Not Regulated
 DOT, ADR, ADN, IMDG, IATA Class 14.4 Packing group DOT, ADR, IMDG, IATA 14.5 Environmental hazards; 	Not Regulated Not Regulated
 Marine pollutant: 14.6 Special precautions for user 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code UN "Model Regulation": 	No Not applicable. Not applicable.

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

Proposition 65 (California):

 \cdot Chemicals known to cause cancer:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product. 64-17-5 ethanol

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

(Contd. on page 10)

Printing date 19.11.2014

Revision: 19.11.2014

Trade name: Mint-O v.2

	(Contd. of page
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity: Ethanol - listing refers specifically to alcoholic beverage consumption and is not apple	icable for product.
64-17-5 ethanol	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer)	
64-17-5 ethanol	·
· TLV (Threshold Limit Value established by ACGIH)	· · · · · ·
64-17-5 ethanol	A
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients are listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
64-17-5 ethanol	
119-36-8 methyl salicylate	
· Canadian Ingredient Disclosure list (limit 1%)	
None of the ingredients are listed.	
· Other regulations, limitations and prohibitive regulations	
\cdot Substances of very high concern (SVHC) according to REACH, Article 57	
None of the ingredients are listed.	
· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been c	earried out

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- R11 Highly flammable.

(Contd. on page 11)

Printing date 19.11.2014

Trade name: Mint-O v.2

Revision: 19.11.2014

		(Contd. of page 10)
R22	Harmful if swallowed.	
R35	Causes severe burns.	
R36	Irritating to eyes.	
R36/38	38 Irritating to eyes and skin.	
R41	Risk of serious damage to eyes.	
R50	Very toxic to aquatic organisms.	
	eviations and acronyms:	
	Accord européen sur le transport des marchandises dangereus	es par Route (European Agreement concerning the
	ational Carriage of Dangerous Goods by Road)	
	International Maritime Code for Dangerous Goods	
	US Department of Transportation International Air Transport Association	
	Globally Harmonised System of Classification and Labelling of Chemi	cals
	H: American Conference of Governmental Industrial Hygienists	
	CS: European Inventory of Existing Commercial Chemical Substances	
ELINCS	S: European List of Notified Chemical Substances	
	Chemical Abstracts Service (division of the American Chemical Socie	у)
	National Fire Protection Association (USA)	
	Hazardous Materials Identification System (USA) S: Workplace Hazardous Materials Information System (Canada)	
	Derived No-Effect Level (REACH)	
	: Predicted No-Effect Concentration (REACH)	
Flam. Li	Liq. 2: Flammable liquids, Hazard Category 2	
	Tox. 4: Acute toxicity, Hazard Category 4	
	corr. 1A: Skin corrosion/irritation, Hazard Category 1A	
	rit. 2: Skin corrosion/irritation, Hazard Category 2	
	am. 1: Serious eye damage/eye irritation, Hazard Category 1 rit. 2: Serious eye damage/eye irritation, Hazard Category 2	
	c Acute 1: Hazardous to the aquatic environment - AcuteHazard, Cat	aory 1
	•	
	Prepared by:	
	n Tel Inc.	
	North Florida Avenue	
	ba, Florida USA 33602-2902	70
-	ree North America 1-888-255-3924 Intl. +01 813-248-0	0/3
Websi	site: www.chemtelinc.com	