352071

Page 1/13

# Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS


Printing date 12.12.2014

R62:

Possible risk of impaired fertility.

Revision: 12.12.2014

(Contd. on page 2)



Printing date 12.12.2014

Revision: 12.12.2014

#### Trade name: Image v.3

Xi; Irritant

(Contd. of page 1)



#### Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

#### Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

#### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the Globally Harmonized System within the United States (GHS).

The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms



GHS07 GHS08

#### · Signal word Danger

#### · Hazard-determining components of labelling:

2-(2-methoxyethoxy)ethanol

dibutyl phthalate

#### Hazard statements

The following Hazard Statements are applicable only to the general GHS regulations and not the specific CLP regulation: H360.

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H360Df.

H360 May damage fertility or the unborn child.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H360Df May damage the unborn child. Suspected of damaging fertility.

#### Precautionary statements

P281 Use personal protective equipment as required.

P202 Do not handle until all safety precautions have been read and understood.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.


#### · Additional information:

Restricted to professional users.

(Contd. on page 3)

Printing date 12.12.2014

Revision: 12.12.2014



#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 111-77-3	2-(2-methoxyethoxy)ethanol	3-10%
EINECS: 203-906-6	Xn R63	
Index number: 603-107-00-6	& Repr. 2, H361d	-
CAS: 110-91-8	morpholine	1-3%
EINECS: 203-815-1 Index number: 613-028-00-9	🗾 Ċ R34; 🗙 Xn R20/21/22	1-5 %
	<ul> <li>Flam. Liq. 3, H226</li> <li>Skin Corr. 1B, H314</li> <li>Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332</li> </ul>	-
CAS: 84-74-2	dibutyl phthalate	1-3%
EINECS: 201-557-4 Index number: 607-318-00-4	☑ T Repr. Cat. 2, 3 R61; 🗙 Xn R62; 🕎 N R50	-
muex number. 007-518-00-4	<ul> <li>Repr. 1B, H360Df</li> <li>Aquatic Acute 1, H400</li> </ul>	
(Contd. on page 4)		

Printing date 12.12.2014

Revision: 12.12.2014

Trade name: Image v.3

040: 24500 04 0	(Contd. of pa		
CAS: 34590-94-8 EINECS: 252-104-2	(2-methoxymethylethoxy)propanol 1-3 substance with a Community workplace exposure limit		
SVHC			
84-74-2 dibutyl phthalate			
· Additional information:	For the wording of the listed risk phrases refer to section 16.		
SECTION 4: First aid	d measures		
• 4.1 Description of first a	id measures		
	o special measures required.		
	fresh air; consult doctor in case of complaints.		
· After skin contact:	, ,		
Immediately wash with wa	ater and soap and rinse thoroughly.		
If skin irritation continues,			
If skin irritation is experier			
After eye contact:			
Remove contact lenses if			
	eral minutes under running water. If symptoms persist, consult a doctor.		
After swallowing:			
	Rinse out mouth and then drink plenty of water.		
	all for medical help immediately.		
	ptoms and effects, both acute and delayed		
Gastric or intestinal disord			
Irritant to skin and mucous	s membranes.		
Irritant to eyes.			
Hazards			
Danger of disturbed cardiac rhythm.			
Condition may deteriorate	e with alcohol consumption.		
Condition may deteriorate • 4.3 Indication of any imr	e with alcohol consumption. mediate medical attention and special treatment needed		
Condition may deteriorate • 4.3 Indication of any imr Do not administer prepara	e with alcohol consumption.		
Condition may deteriorate • <b>4.3 Indication of any imr</b> Do not administer prepara Contains morpholine.	e with alcohol consumption. mediate medical attention and special treatment needed ations of the adrenalin-ephedrine-group.		
Condition may deteriorate <b>4.3 Indication of any imr</b> Do not administer prepara Contains morpholine. Contains 5-chloro-2-meth	e with alcohol consumption. mediate medical attention and special treatment needed		
Condition may deteriorate <b>4.3 Indication of any imr</b> Do not administer prepara Contains morpholine. Contains 5-chloro-2-methreaction.	e with alcohol consumption. mediate medical attention and special treatment needed ations of the adrenalin-ephedrine-group. hyl-2H-isothiazol-3-one, 2-methyl-2H-isothiazol-3-one. May produce an alle		
Condition may deteriorate <b>4.3 Indication of any imr</b> Do not administer prepara Contains morpholine. Contains 5-chloro-2-methreaction.	e with alcohol consumption. mediate medical attention and special treatment needed ations of the adrenalin-ephedrine-group.		
Condition may deteriorate <b>4.3 Indication of any imr</b> Do not administer prepara Contains morpholine. Contains 5-chloro-2-methreaction.	e with alcohol consumption. mediate medical attention and special treatment needed ations of the adrenalin-ephedrine-group. hyl-2H-isothiazol-3-one, 2-methyl-2H-isothiazol-3-one. May produce an alle embrane with antihistamine and corticoid preparations.		

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

• For safety reasons unsuitable extinguishing agents: None.

## • 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

• 5.3 Advice for firefighters

#### · Protective equipment:

Wear self-contained respiratory protective device.

(Contd. on page 5)

Printing date 12.12.2014

Trade name: Image v.3

Wear fully protective suit.

• Additional information No further relevant information available.

## **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with oxidising and acidic materials.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles. Protect from frost.

· 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 6)

(Contd. of page 4)

Printing date 12.12.2014

Revision: 12.12.2014

Trade name: Image v.3

• B. Control parameters         • Ingredients with limit values that require monitoring at the workplace:         111.77.3 - 2(-2methoxyethoxyethanol         IOELV (EU)       Long-term value: 50,1 mg/m³, 10 ppm Skin         IOELV (EU)       Short-term value: 72 mg/m³, 20 ppm Long-term value: 36 mg/m³, 10 ppm         PEL (USA)       Long-term value: 70 mg/m³, 20 ppm Skin         REL (USA)       Short-term value: 105 mg/m³, 30 ppm Long-term value: 70 mg/m³, 20 ppm Skin         TLV (USA)       Long-term value: 71 mg/m³, 20 ppm Skin         EL (Canada)       Long-term value: 20 ppm Skin         EV (Canada)       Short-term value: 105 mg/m³, 30 ppm Long-term value: 70 mg/m³, 20 ppm Skin         34590-94-8 (2-methoxymethylethoxy)propanol       IOELV (EU)         IOELV (EU)       Long-term value: 308 mg/m³, 50 ppm Skin         PEL (USA)       Long-term value: 308 mg/m³, 100 ppm Skin         PEL (USA)       Long-term value: 600 mg/m³, 150 ppm Long-term value: 600 mg/m³, 150 ppm Long-term value: 600 mg/m³, 150 ppm Long-term value: 100 ppm Skin         EV (Canada)       Short-term value: 910 mg/m³, 150 ppm Long-term value: 605 mg/m³         EV (Canada)       Short-term value: 100 ppm Skin         EV (Canada)       Short-term value: 50 ppm Long-term value: 605 mg/m³         EV (Canada)       Short-term value: 50 ppm Long-term value: 605 mg/m³         EV (Canada)       Long-term value: 50 mg			(Contd. of page
111-77-3 2-(2-methoxyethoxy)ethanol         IOELV (EU)       Long-term value: 50,1 mg/m³, 10 ppm         Skin       Skin         10ELV (EU)       Short-term value: 72 mg/m³, 20 ppm         Long-term value: 36 mg/m³, 10 ppm         PEL (USA)       Long-term value: 70 mg/m³, 20 ppm         Skin       Skin         REL (USA)       Long-term value: 70 mg/m³, 30 ppm         Long-term value: 70 mg/m³, 20 ppm         Skin         TLV (USA)       Long-term value: 70 mg/m³, 20 ppm         Skin         EL (Canada)       Long-term value: 70 mg/m³, 20 ppm         Skin         EV (Canada)       Short-term value: 20 ppm         Skin         EV (Canada)       Short-term value: 20 ppm         Skin         EV (Canada)       Short-term value: 70 mg/m³, 30 ppm         Long-term value: 70 mg/m³, 30 ppm         Skin         PEL (USA)       Long-term value: 308 mg/m³, 50 ppm         Skin         PEL (USA)       Long-term value: 600 mg/m³, 100 ppm         Skin         REL (USA)       Short-term value: 90 mg/m³, 150 ppm         Long-term value: 90 mg/m³, 100 ppm         Skin         EL (Canada)       Short-term value: 50 pg/m³ <t< th=""><th>-</th><th></th><th></th></t<>	-		
IOELV (EU)       Long-term value: 50,1 mg/m³, 10 ppm         Skin       110-91-8 morpholine         IOELV (EU)       Short-term value: 36 mg/m³, 10 ppm         PEL (USA)       Long-term value: 70 mg/m³, 20 ppm         Skin       Short-term value: 105 mg/m³, 30 ppm         Long-term value: 70 mg/m³, 20 ppm       Skin         REL (USA)       Short-term value: 70 mg/m³, 20 ppm         Skin       Cong-term value: 70 mg/m³, 20 ppm         Skin       Long-term value: 70 mg/m³, 20 ppm         Skin       Long-term value: 20 ppm         Skin       EV (Canada)         Short-term value: 105 mg/m³, 30 ppm         Long-term value: 70 mg/m³, 20 ppm         Skin       EV (Canada)         Short-term value: 105 mg/m³, 30 ppm         Long-term value: 105 mg/m³, 30 ppm         Short-term value: 105 mg/m³, 30 ppm         Long-term value: 20 ppm         Skin         PEL (USA)         Long-term value: 300 mg/m³, 100 ppm         Skin         REL (USA)         Short-term value: 900 mg/m³, 150 ppm         Long-term value: 100 ppm         Skin         TLV (USA)         Short-term value: 100 ppm         Skin         EL (Canada)	<u> </u>	· · ·	
Skin       Skin         110-91-8 morpholine         IOELV (EU)       Short-term value: 72 mg/m³, 20 ppm Long-term value: 70 mg/m³, 20 ppm Skin         PEL (USA)       Long-term value: 105 mg/m³, 30 ppm Long-term value: 70 mg/m³, 20 ppm Skin         TLV (USA)       Short-term value: 71 mg/m³, 20 ppm Skin         EL (Canada)       Long-term value: 71 mg/m³, 20 ppm Skin         EV (Canada)       Long-term value: 70 mg/m³, 30 ppm Long-term value: 20 ppm Skin         EV (Canada)       Short-term value: 105 mg/m³, 30 ppm Skin         24590-94-8 (2-methoxymethylethoxy)propanol         IOELV (EU)       Long-term value: 308 mg/m³, 50 ppm Skin         PEL (USA)       Long-term value: 600 mg/m³, 150 ppm Long-term value: 600 mg/m³, 150 ppm Skin         PEL (USA)       Short-term value: 909 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin         TLV (USA)       Short-term value: 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin         EL (Canada)       Short-term value: 150 ppm Long-term value: 605 mg/m³, 100 ppm         84-74-2 dibutyl phthalate       PEL (USA)       Long-term value: 5 mg/m³ EL (Canada)         PEL (USA)       Long-term value: 5 mg/m³ EL (Canada)       Long-term value: 5 mg/m³ EL (Canada)	•		
IOELV (EU)       Short-term value: 72 mg/m³, 20 ppm Long-term value: 70 mg/m³, 20 ppm Skin         PEL (USA)       Long-term value: 70 mg/m³, 20 ppm Skin         TLV (USA)       Long-term value: 71 mg/m³, 20 ppm Skin         TLV (USA)       Long-term value: 71 mg/m³, 20 ppm Skin         EL (Canada)       Long-term value: 20 ppm Skin         EV (Canada)       Short-term value: 105 mg/m³, 30 ppm Long-term value: 70 mg/m³, 20 ppm Skin         EV (Canada)       Short-term value: 105 mg/m³, 30 ppm Long-term value: 20 ppm Skin <b>34590-94-8 (2-methoxymethylethoxy)propanol</b> IOELV (EU)       Long-term value: 308 mg/m³, 50 ppm Skin         PEL (USA)       Long-term value: 600 mg/m³, 100 ppm Skin         PEL (USA)       Long-term value: 600 mg/m³, 100 ppm Skin         REL (USA)       Short-term value: 900 mg/m³, 100 ppm Skin         TLV (USA)       Short-term value: 100 ppm Skin         TLV (USA)       Short-term value: 100 ppm Skin         EL (Canada)       Short-term value: 910 mg/m³, 150 ppm Long-term value: 605 mg/m³, 100 ppm         Shin       EU (Canada)         Short-term value: 50 ppm Long-term value: 605 mg/m³, 100 ppm         Shin       EU (Canada)         Short-term value: 50 ppm Long-term value: 605 mg/m³         EU (Canada)       Long-term value: 5 mg/m³         REL (USA)       Long-term value:	IOELV (EU)		
Long-term value: 36 mg/m³, 10 ppmPEL (USA)Long-term value: 70 mg/m³, 20 ppmSkinShort-term value: 105 mg/m³, 30 ppmLong-term value: 70 mg/m³, 20 ppmSkinLong-term value: 71 mg/m³, 20 ppmSkinLong-term value: 20 ppmSkinLong-term value: 20 ppmSkinShort-term value: 20 ppmSkinLong-term value: 20 ppmSkinLong-term value: 70 mg/m³, 30 ppmLong-term value: 70 mg/m³, 20 ppmSkinShort-term value: 105 mg/m³, 30 ppmLong-term value: 70 mg/m³, 20 ppmSkinShort-term value: 100 mg/m³, 30 ppmLong-term value: 70 mg/m³, 20 ppmSkinShort-term value: 100 mg/m³, 100 ppmSkinSkinPEL (USA)Long-term value: 600 mg/m³, 150 ppmLong-term value: 900 mg/m³, 150 ppmLong-term value: 150 ppmLong-term value: 160 ppmLong-term value: 150 ppmLong-term value: 100 ppmSkinEL (Canada)Short-term value: 100 mg/m³, 150 ppmLong-term value: 100 ppmSkinEV (Canada)Short-term value: 505 mg/m³EV (Canada)Long-term value: 5 mg/m³REL (USA)Long-term valu	110-91-8 moi	rpholine	
Skin       Skin         REL (USA)       Short-term value: 105 mg/m³, 30 ppm Long-term value: 70 mg/m³, 20 ppm Skin         TLV (USA)       Long-term value: 71 mg/m³, 20 ppm Skin         EL (Canada)       Long-term value: 20 ppm Skin         EV (Canada)       Short-term value: 105 mg/m³, 30 ppm Long-term value: 70 mg/m³, 20 ppm Skin <b>34590-94-8 (2-methoxymethylethoxy)propanol</b> IOELV (EU)       Long-term value: 308 mg/m³, 50 ppm Skin         PEL (USA)       Long-term value: 600 mg/m³, 100 ppm Skin         REL (USA)       Long-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 150 ppm Skin         TLV (USA)       Short-term value: 909 mg/m³, 150 ppm Long-term value: 100 ppm Skin         EL (Canada)       Short-term value: 100 ppm Skin         EV (Canada)       Short-term value: 100 ppm Skin         EV (Canada)       Long-term value: 50 mg/m³, 100 ppm Long-term value: 100 ppm Skin         EV (Canada)       Long-term value: 5 mg/m³         PEL (USA)       Long-term value: 5 mg/m³         EV (Canada)       Long-term value: 5 mg/m³         REL (USA)       Long-term value: 5 mg/m³         EV (Canada)       Long-term value: 5 mg/m³         FEL (USA)       Long-term value: 5 mg/m³         EV (Canada)       Long-term value: 5 mg/m³         EV (Canada)       Long-term value: 5 mg/m³	IOELV (EU)		
Long-term value: 70 mg/m³, 20 ppm SkinTLV (USA)Long-term value: 71 mg/m³, 20 ppm SkinEL (Canada)Long-term value: 20 ppm SkinEV (Canada)Short-term value: 105 mg/m³, 30 ppm Long-term value: 70 mg/m³, 20 ppm Skin34590-94-8 (2-methoxymethylethoxy)propanolIOELV (EU)Long-term value: 308 mg/m³, 50 ppm SkinPEL (USA)Long-term value: 600 mg/m³, 100 ppm SkinREL (USA)Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm SkinTLV (USA)Short-term value: 600 mg/m³, 100 ppm SkinTLV (USA)Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm SkinEL (Canada)Short-term value: 100 ppm SkinEL (Canada)Short-term value: 100 ppm SkinEL (Canada)Short-term value: 100 ppm SkinEV (Canada)Long-term value: 50 ppm Long-term value: 605 mg/m³, 100 ppmTLV (USA)Long-term value: 100 ppm SkinEV (Canada)Long-term value: 50 ppm Long-term value: 605 mg/m³, 100 ppmEV (Canada)Long-term value: 5 mg/m³ TLV (USA)Long-term value: 5 mg/m³EV (Canada)Long-term value: 5 mg/m³ Cung-term value: 5 mg/m³ L (Canada)DNELs No further relevant information available.	PEL (USA)		
Skin       Long-term value: 20 ppm         Skin       EV (Canada)         Short-term value: 105 mg/m³, 30 ppm         Long-term value: 70 mg/m³, 20 ppm         Skin <b>34590-94-8 (2-methoxymethylethoxy)propanol</b> IOELV (EU)         Long-term value: 308 mg/m³, 50 ppm         Skin         PEL (USA)         Long-term value: 600 mg/m³, 100 ppm         Skin         REL (USA)         Short-term value: 900 mg/m³, 150 ppm         Long-term value: 606 mg/m³, 100 ppm         Skin         TLV (USA)         Short-term value: 909 mg/m³, 150 ppm         Long-term value: 606 mg/m³, 100 ppm         Skin         EL (Canada)         Short-term value: 150 ppm         Long-term value: 100 ppm         Skin         EV (Canada)         Short-term value: 910 mg/m³, 150 ppm         Long-term value: 100 ppm         Skin         EV (Canada)         Short-term value: 910 mg/m³, 100 ppm         Long-term value: 5 mg/m³         REL (USA)	REL (USA)	Long-term value: 70 mg/m <sup>3</sup> , 20 ppm	
Skin       Skin         EV (Canada)       Short-term value: 105 mg/m³, 30 ppm Long-term value: 70 mg/m³, 20 ppm Skin         34590-94-8 (2-methoxymethylethoxy)propanol         IOELV (EU)       Long-term value: 308 mg/m³, 50 ppm Skin         PEL (USA)       Long-term value: 600 mg/m³, 100 ppm Skin         REL (USA)       Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin         TLV (USA)       Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin         EL (Canada)       Short-term value: 150 ppm Long-term value: 100 ppm Skin         EV (Canada)       Short-term value: 910 mg/m³, 150 ppm Long-term value: 605 mg/m³, 100 ppm         B4-74-2 dibutyl phthalate       PEL (USA)         PEL (USA)       Long-term value: 605 mg/m³         PEL (USA)       Long-term value: 5 mg/m³         REL (USA)       Long-term value: 5 mg/m³         EV (Canada)       Long-term value: 5 mg/m³         EV (USA)       Long-term value: 5 mg/m³         EV (Canada)       Long-term value: 5 mg/m³         EV (Canada)       Long-term value: 5 mg/m³         EV (Canada)       Long-term value: 5 mg/m³	TLV (USA)		
Long-term value: 70 mg/m³, 20 ppm Skin         34590-94-8 (2-methoxymethylethoxy)propanol         IOELV (EU)       Long-term value: 308 mg/m³, 50 ppm Skin         PEL (USA)       Long-term value: 600 mg/m³, 100 ppm Skin         REL (USA)       Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin         TLV (USA)       Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin         EL (Canada)       Short-term value: 150 ppm Long-term value: 100 ppm Skin         EV (Canada)       Short-term value: 910 mg/m³, 150 ppm Long-term value: 605 mg/m³, 100 ppm         Skin       EV (Canada)         Short-term value: 50 ppm Long-term value: 605 mg/m³, 100 ppm         B4-74-2 dibutyl phthalate         PEL (USA)       Long-term value: 5 mg/m³         REL (USA)       Long-term value: 5 mg/m³         TLV (USA)       Long-term value: 5 mg/m³         FEL (Canada)       Long-term value: 5 mg/m³	EL (Canada)		
IOELV (EU)       Long-term value: 308 mg/m³, 50 ppm         Skin       PEL (USA)       Long-term value: 600 mg/m³, 100 ppm         Skin       REL (USA)       Short-term value: 900 mg/m³, 150 ppm         Long-term value: 600 mg/m³, 150 ppm       Long-term value: 600 mg/m³, 100 ppm         Skin       Short-term value: 909 mg/m³, 150 ppm         Long-term value: 909 mg/m³, 150 ppm       Long-term value: 606 mg/m³, 100 ppm         Skin       Short-term value: 150 ppm         Long-term value: 100 ppm       Skin         EL (Canada)       Short-term value: 910 mg/m³, 150 ppm         Long-term value: 005 mg/m³, 100 ppm       Skin         EV (Canada)       Short-term value: 910 mg/m³, 100 ppm         Skin       Long-term value: 100 ppm         Skin       Short-term value: 910 mg/m³, 100 ppm         B4-74-2 dibutyl phthalate       PEL (USA)         PEL (USA)       Long-term value: 5 mg/m³         REL (USA)       Long-term value: 5 mg/m³         TLV (USA)       Long-term value: 5 mg/m³         EL (Canada)       Long-term value: 5 mg/m³         EL (Canada)       Long-term value: 5 mg/m³         EV (Canada)       Long-term value: 5 mg/m³         EV (Canada)       Long-term value: 5 mg/m³         EV (Canada)       Long-term value: 5 mg/m³	EV (Canada)	Long-term value: 70 mg/m <sup>3</sup> , 20 ppm	
Skin         PEL (USA)         Long-term value: 600 mg/m³, 100 ppm         Skin         REL (USA)         Short-term value: 900 mg/m³, 150 ppm         Long-term value: 600 mg/m³, 150 ppm         Long-term value: 909 mg/m³, 150 ppm         Long-term value: 606 mg/m³, 100 ppm         Skin         TLV (USA)         Short-term value: 909 mg/m³, 150 ppm         Long-term value: 150 ppm         Long-term value: 150 ppm         Long-term value: 100 ppm         Skin         EV (Canada)         Short-term value: 910 mg/m³, 150 ppm         Long-term value: 100 ppm         Skin         EV (Canada)         Short-term value: 910 mg/m³, 150 ppm         Long-term value: 910 mg/m³, 150 ppm         Long-term value: 910 mg/m³, 100 ppm         Skin         EV (Canada)         Long-term value: 910 mg/m³, 100 ppm         String-term value: 910 mg/m³, 100 ppm         String-term value: 910 mg/m³, 100 ppm         String-term value: 5 mg/m³         REL (USA)       Long-term value: 5 mg/m³         REL (USA)       Long-term value: 5 mg/m³         EU (Canada)       Long-term value: 5 mg/m³         EV (Canada)       Long-term value	34590-94-8 (2	2-methoxymethylethoxy)propanol	
Skin         REL (USA)       Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin         TLV (USA)       Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin         EL (Canada)       Short-term value: 150 ppm Long-term value: 100 ppm Skin         EV (Canada)       Short-term value: 910 mg/m³, 150 ppm Long-term value: 605 mg/m³, 100 ppm <b>84-74-2 dibutyl phthalate</b> PEL (USA)       Long-term value: 5 mg/m³         REL (USA)       Long-term value: 5 mg/m³         TLV (USA)       Long-term value: 5 mg/m³         FU (Canada)       Long-term value: 5 mg/m³         REL (USA)       Long-term value: 5 mg/m³         FU (USA)       Long-term value: 5 mg/m³         FU (Canada)       <	IOELV (EU)		
Long-term value: 600 mg/m³, 100 ppm SkinTLV (USA)Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm SkinEL (Canada)Short-term value: 150 ppm Long-term value: 100 ppm SkinEV (Canada)Short-term value: 910 mg/m³, 150 ppm Long-term value: 605 mg/m³, 100 ppm84-74-2 dibutyl phthalatePEL (USA)Long-term value: 5 mg/m³ Long-term value: 5 mg/m³REL (USA)Long-term value: 5 mg/m³ Long-term value: 5 mg/m³FL (USA)Long-term value: 5 mg/m³ Long-term value: 5 mg/m³FL (Canada)Long-term value: 5 mg/m³ Long-term value: 5 mg/m³FL (Canada)Long-term value: 5 mg/m³ Long-term value: 5 mg/m³FU (Canada)Long-term value: 5 mg/m³ Long-term value: 5 mg/m³	PEL (USA)		
Long-term value: 606 mg/m³, 100 ppm SkinEL (Canada)Short-term value: 150 ppm Long-term value: 100 ppm SkinEV (Canada)Short-term value: 910 mg/m³, 150 ppm Long-term value: 605 mg/m³, 100 ppm84-74-2 dibutyl phthalatePEL (USA)Long-term value: 5 mg/m³ REL (USA)REL (USA)Long-term value: 5 mg/m³ Long-term value: 5 mg/m³ Long-term value: 5 mg/m³FL (Canada)Long-term value: 5 mg/m³ Long-term value: 5 mg/m³FU (Canada)Long-term value: 5 mg/m³ Long-term value: 5 mg/m³	REL (USA)	Long-term value: 600 mg/m <sup>3</sup> , 100 ppm	
EV (Canada)Long-term value: 100 ppm SkinEV (Canada)Short-term value: 910 mg/m³, 150 ppm Long-term value: 605 mg/m³, 100 ppm84-74-2 dibutyl phthalatePEL (USA)Long-term value: 5 mg/m³REL (USA)Long-term value: 5 mg/m³TLV (USA)Long-term value: 5 mg/m³EL (Canada)Long-term value: 5 mg/m³EV (Canada)Long-term value: 5 mg/m³FV (Canada)Long-term value: 5 mg/m³FV (Canada)Long-term value: 5 mg/m³FV (Canada)Long-term value: 5 mg/m³FV (Canada)Long-term value: 5 mg/m³	TLV (USA)	Long-term value: 606 mg/m <sup>3</sup> , 100 ppm	
Long-term value: 605 mg/m³, 100 ppm         84-74-2 dibutyl phthalate         PEL (USA)       Long-term value: 5 mg/m³         REL (USA)       Long-term value: 5 mg/m³         TLV (USA)       Long-term value: 5 mg/m³         EL (Canada)       Long-term value: 5 mg/m³         EV (Canada)       Long-term value: 5 mg/m³         • DNELs No further relevant information available.	EL (Canada)	Long-term value: 100 ppm	
PEL (USA)       Long-term value: 5 mg/m³         REL (USA)       Long-term value: 5 mg/m³         TLV (USA)       Long-term value: 5 mg/m³         EL (Canada)       Long-term value: 5 mg/m³         EV (Canada)       Long-term value: 5 mg/m³         • DNELs No further relevant information available.	EV (Canada)		
REL (USA)       Long-term value: 5 mg/m³         TLV (USA)       Long-term value: 5 mg/m³         EL (Canada)       Long-term value: 5 mg/m³         EV (Canada)       Long-term value: 5 mg/m³         • DNELs No further relevant information available.	84-74-2 dibut	tyl phthalate	
TLV (USA)       Long-term value: 5 mg/m³         EL (Canada)       Long-term value: 5 mg/m³         EV (Canada)       Long-term value: 5 mg/m³         • DNELs No further relevant information available.	PEL (USA)	Long-term value: 5 mg/m <sup>3</sup>	
EL (Canada)       Long-term value: 5 mg/m³         EV (Canada)       Long-term value: 5 mg/m³         • DNELs No further relevant information available.	REL (USA)	Long-term value: 5 mg/m <sup>3</sup>	
EV (Canada) Long-term value: 5 mg/m <sup>3</sup> DNELs No further relevant information available.	TLV (USA)	Long-term value: 5 mg/m <sup>3</sup>	
DNELs No further relevant information available.	EL (Canada)	Long-term value: 5 mg/m <sup>3</sup>	
	EV (Canada)	Long-term value: 5 mg/m <sup>3</sup>	
	· DNELs No fu	rther relevant information available.	(Contd. on page

Printing date 12.12.2014

Trade name: Image v.3       (Contd. of page 6)         • PNECs No further relevant information available.       • Additional information: The lists valid during the making were used as basis.         • Additional information: The lists valid during the making were used as basis.       • 8.2 Exposure controls         • Personal protective equipment:       • General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Do not inhale gases / fumes / aerosols. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Pregnant women should strictly avoid inhalation or skin contact.
<ul> <li>PNECs No further relevant information available.</li> <li>Additional information: The lists valid during the making were used as basis.</li> <li>8.2 Exposure controls</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Do not inhale gases / fumes / aerosols. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Pregnant women should strictly avoid inhalation or skin contact.</li> </ul>
<ul> <li>PNECs No further relevant information available.</li> <li>Additional information: The lists valid during the making were used as basis.</li> <li>8.2 Exposure controls</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Do not inhale gases / fumes / aerosols. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Pregnant women should strictly avoid inhalation or skin contact.</li> </ul>
<ul> <li>8.2 Exposure controls</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Do not inhale gases / fumes / aerosols. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Pregnant women should strictly avoid inhalation or skin contact.</li> </ul>
<ul> <li>Personal protective equipment:</li> <li>General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Do not inhale gases / fumes / aerosols. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Pregnant women should strictly avoid inhalation or skin contact.</li> </ul>
<ul> <li>Personal protective equipment:</li> <li>General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Do not inhale gases / fumes / aerosols. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Pregnant women should strictly avoid inhalation or skin contact.</li> </ul>
The usual precautionary measures are to be adhered to when handling chemicals. Do not inhale gases / fumes / aerosols. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Pregnant women should strictly avoid inhalation or skin contact.
Do not inhale gases / fumes / aerosols. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Pregnant women should strictly avoid inhalation or skin contact.
Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Pregnant women should strictly avoid inhalation or skin contact.
Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Pregnant women should strictly avoid inhalation or skin contact.
Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Pregnant women should strictly avoid inhalation or skin contact.
Pregnant women should strictly avoid inhalation or skin contact.
· Respiratory protection:
Not required under normal conditions of use. Use suitable respiratory protective device in case of insufficient ventilation.
Use suitable respiratory protective device when aerosol or mist is formed.
For spills, respiratory protection may be advisable.
Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.
• Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of
quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to
be observed. • <b>For the permanent contact gloves made of the following materials are suitable:</b> Butyl rubber, BR
Neoprene gloves
Eye protection:
Safety glasses
· Body protection:
Not required under normal conditions of use.
Protection may be required for spills.
Limitation and supervision of exposure into the environment
No further relevant information available.
<ul> <li>Risk management measures</li> <li>See Section 7 for additional information.</li> </ul>
(Contd. on page 8)

Printing date 12.12.2014

Revision: 12.12.2014

(Contd. of page 7)

# Trade name: Image v.3

No further relevant information available.

9.1 Information on basic physical and chemical properties General Information Appearance:			
Form:	Liquid		
Colour:	White		
Odour: Odour threshold:	Acrid Not determined.		
pH-value at 20 °C:	8,3 - 8,9		
Change in condition			
Melting point/Melting range:	Not Determined.		
Boiling point/Boiling range:	Undetermined.		
Flash point:	Not applicable.		
Flammability (solid, gaseous):	Not applicable.		
Auto/Self-ignition temperature:	Not determined.		
Decomposition temperature:	Not determined.		
Self-igniting:	Product is not self-igniting.		
Danger of explosion:	Product does not present an explosion hazard.		
Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
Vapour pressure:	Not determined.		
Density at 20 °C:	1,01 - 1,03 g/cm³		
Relative density	Not determined.		
Vapour density Evaporation rate	Not determined. Not determined.		
Solubility in / Miscibility with			
water:	Fully miscible.		
Partition coefficient (n-octanol/water): Not determined.			
Viscosity:			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
9.2 Other information	No further relevant information available.		

(Contd. on page 9)

Printing date 12.12.2014

Revision: 12.12.2014

Trade name: Image v.3

(Contd. of page 8)

# **SECTION 10: Stability and reactivity**

#### · 10.1 Reactivity

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point. Reacts with strong oxidising agents. Reacts with strong alkali.

• **10.4 Conditions to avoid** Store away from oxidising agents.

• **10.5 Incompatible materials:** No further relevant information available.

10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide Ammonia

# **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity:

· LD/LC50 values relevant for classification:

111-77-3 2-(2-methoxyethoxy)ethanol

Oral LD50 5500 mg/kg (rat)

Dermal LD50 6540 mg/kg (rabbit)

#### 110-91-8 morpholine

Oral LD50 1050 mg/kg (rat)

Dermal LD50 500 mg/kg (rabbit)

#### Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

#### · Sensitisation:

Sensitising effect by skin contact is possible by prolonged exposure.

Contains 5-chloro-2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

#### Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

May damage fertility or the unborn child.

• Acute effects (acute toxicity, irritation and corrosivity): The product can cause inheritable damage.

#### · Repeated dose toxicity:

May cause damage to organs through prolonged or repeated exposure.

Repeated exposures may result in skin and/or respiratory sensitivity.

(Contd. on page 10)

Printing date 12.12.2014

Revision: 12.12.2014

(Contd. of page 9)

#### Trade name: Image v.3

#### • CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): Repr. 1B

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

- Danger to drinking water if even small quantities leak into the ground.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### · Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
<ul> <li>14.1 UN-Number</li> <li>DOT, ADR, ADN, IMDG, IATA</li> <li>14.2 UN proper shipping name</li> <li>DOT, ADR, ADN, IMDG, IATA</li> <li>14.3 Transport hazard class(es)</li> </ul>	Not Regulated Not Regulated	
<ul> <li>DOT, ADR, ADN, IMDG, IATA</li> <li>Class</li> <li>14.4 Packing group</li> <li>DOT, ADR, IMDG, IATA</li> </ul>	Not Regulated	(Contd. on page 11)

Printing date 12.12.2014

Trade name: Image v.3	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> <li>14.6 Special precautions for user</li> <li>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> <li>Wn "Model Regulation":</li> </ul>	(Contd. of page 10)
SECTION 15: Regulatory information	
<ul> <li>15.1 Safety, health and environmental regulations/legislation specific for the sub- United States (USA)</li> <li>SARA</li> </ul>	stance or mixture
• Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
111-77-3 2-(2-methoxyethoxy)ethanol	
84-74-2 dibutyl phthalate	
• TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65 (California):     Chemicals known to cause cancer:     Present in trace quantities.	
123-91-1 1,4-dioxane	
Chemicals known to cause reproductive toxicity for females:	
84-74-2 dibutyl phthalate	
Chemicals known to cause reproductive toxicity for males:	
84-74-2 dibutyl phthalate	
Chemicals known to cause developmental toxicity:	
84-74-2 dibutyl phthalate	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
84-74-2 dibutyl phthalate	D
IARC (International Agency for Research on Cancer)	
110-91-8 morpholine	3
TLV (Threshold Limit Value established by ACGIH)	
110-91-8 morpholine	A4
• NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients are listed.	
	(Contd. on page 12)

Printing date 12.12.2014

Revision: 12.12.2014

Trade name: Image v.3

<sup>.</sup> Canada

(Contd. of page 11)

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients are listed.

· Canadian Ingredient Disclosure list (limit 1%)

111-77-3 2-(2-methoxyethoxy)ethanol

110-91-8 morpholine

84-74-2 dibutyl phthalate

34590-94-8 (2-methoxymethylethoxy)propanol

#### · Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

# • Substances of very high concern (SVHC) according to REACH, Article 57

84-74-2 dibutyl phthalate

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

I CIC Valit	pindses			
H226	Flammable liquid and vapour.			
H302	Harmful if swallowed.			
H312	Harmful in contact with skin.			
H314	Causes severe skin burns and eye damage.			
H332	Harmful if inhaled.			
H360Df	May damage the unborn child. Suspected of damaging fertility.			
H361d	Suspected of damaging the unborn child.			
H400	Very toxic to aquatic life.			
R10	Flammable.			
R20/21/2	2 Harmful by inhalation, in contact with skin and if swallowed.			
R34	Causes burns.			
R50	Very toxic to aquatic organisms.			
R61	May cause harm to the unborn child.			
R62	Possible risk of impaired fertility.			
R63	Possible risk of harm to the unborn child.			
· Abbreviations and acronyms:				
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the				
International Carriage of Dangerous Goods by Road)				
IMDG: International Maritime Code for Dangerous Goods				
DOT: US Department of Transportation IATA: International Air Transport Association				
GHS: Globally Harmonised System of Classification and Labelling of Chemicals				
ACGIH: Am	erican Conference of Governmental Industrial Hygienists			
	(Contd. on page 13)			

Printing date 12.12.2014

#### Trade name: Image v.3

(* EINECS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal cose, 50 percent Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Repr. 1B: Reproductive toxicity, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 1 Repr. 2: Reproductive toxicity, Hazard Category 1 SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com	(Contd. of page 12)
--	---------------------



# DURALIFE

# **High Gloss Floor Finish**

Clear, durable floor finish and sealer designed specifically for low maintenance programs. Economical formula ideal for low maintenance budgets, including applications such as schools, plants, factories, retail and more. Spray buff or scrub and recoat to maintain. Formulated for facilities that buff once per week or less. For use on resilient flooring and concrete.



# 352071

## **PRODUCT INFORMATION:**

- · Sealer and finisher
- · Resists scuffs and marks
- Exceptional durability
- Ideal for vinyl floors

рН	8.3 - 8.9
Form	Liquid
Fragrance	Acrid
Color	White
Packaged	4/1 gl Case

# **DIRECTIONS FOR USE:**

**INITIAL APPLICATION:** Completely strip all old wax or finish. Be careful to follow the "Directions for Use" for the selected stripper. Remove the stripping solution and follow with a thorough detail mop. Allow floor to completely dry. Repeat if necessary. Floor must be clean, dry and free of all residue. Apply 1 or 2 even coats of sealer (optional, based on condition of floor), and let dry. Apply finish in uniform, thin coats. Allow each coat to dry for 20 to 30 minutes, or until surface is completely dry to the touch, before applying additional coats. Allow an extra 10 minutes drying time for each additional coat. Total of 4-5 coats of finish are recommended. **ROUTINE MAINTENANCE:** Sweep large debris and remove. Dust mop to remove dry soil, then damp mop or automatic scrub with a neutral cleaner. Buff or burnish the floor as desired. Use of a cleaner/restorer is recommended to extend time between top scrub and recoating. **INTERIM MAINTENANCE:** Sweep large debris and remove. Dust mop to remove dry soil, then damp mop or automatic scrub with a neutral cleaner. Buff or burnish the floor as desired. Use of a cleaner/restorer is recommended to extend time between top scrub and recoating. **INTERIM MAINTENANCE:** Sweep large debris and remove. Dust mop to remove dry soil, then damp mop or automatic scrub with a neutral cleaner. Top scrub with top scrub cleaner and recommended floor pad to remove top soiled layers of finish. Floor must be clean, dry and free of all residue. Apply 1-2 coats of finish as directed under "Initial Application" on this label. **KEEP FROM FREEZING** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection.

# **IMPORTANT SAFETY INFORMATION:**



DANGER May damage fertility or the unborn child.

Store locked up. Dispose of contents and container in accordance with local, regional, national and international regulations.

FIRST AID: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical attention. IF ON SKIN: Wash with plenty of soap and water. FOR INDUSTRIAL & INSTITUTIONAL USE



Chadwell Supply 4907 Kearney Blvd. Tampa, FL 33619 (888) 341-2423 www.chadwellsupply.com



Chemtrec Emergency Response (800) 424-9300