Page 1/12

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and **GHS**

Printing date 08.01.2014 Revision: 08.01.2014

1 Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Emulso

· Article number: 100925


· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Bath cleaner
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Theochem Laboratories 7373 Rowlett Park Drive Tampa, FL 33610

Phone: 813-237-6463



· 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



C; Corrosive

Causes severe burns.



Xi; Irritant

Irritating to respiratory system.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

(Contd. on page 2)



Printing date 08.01.2014 Revision: 08.01.2014

Trade name: Emulso

(Contd. of page 1)

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS05 GHS07

· Signal word Danger

· Hazard-determining components of labelling:

hydrochloric acid

· Hazard statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

· Precautionary statements

P280 Wear protective gloves / eye protection.
P260 Do not breathe mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

oreathing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Hazard description:

· WHMIS-symbols:

D2B - Toxic material causing other toxic effects

E - Corrosive material



· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)



(Contd. on page 3)

Printing date 08.01.2014 Revision: 08.01.2014

Trade name: Emulso

(Contd. of page 2)

· HMIS Long Term Health Hazard Substances

None of the ingredients is listed.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 7647-01-0 EINECS: 231-595-7 Index number: 017-002-00-2 Skin Corr. 1B, H314 STOT SE 3, H335

hydrochloric acid 🔁 C R34; 🗶 Xi R37 10-25%

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

After inhalation:

Supply fresh air.

Seek medical treatment in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eve contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Strong caustic effect on skin and mucous membranes.

Breathing difficulty

Coughing

Gastric or intestinal disorders.

· Hazards

Danger of impaired breathing.

(Contd. on page 4)

Printing date 08.01.2014 Revision: 08.01.2014

Trade name: Emulso

(Contd. of page 3)

Danger of severe eye injury.

• 4.3 Indication of any immediate medical attention and special treatment needed Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

5 Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Clean the affected area carefully; suitable cleaners are:

Warm water

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

(Contd. on page 5)

Printing date 08.01.2014 Revision: 08.01.2014

Trade name: Emulso

(Contd. of page 4)

Prevent formation of aerosols.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Provide ventilation for receptacles.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

Information about storage in one common storage facility:

Store away from oxidizing agents.

Do not store together with alkalis (caustic solutions).

Store away from foodstuffs.

Store away from metals.

- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace
--

7647-01-0 hydrogen chloride

IOELV (EU)	Short-term value: 15 mg/m³, 10 ppm
	Short-term value: 15 mg/m³, 10 ppm Long-term value: 8 mg/m³, 5 ppm
PEL (USA)	Short-term value: C 7 mg/m³, C 5 ppm
REL (USA)	Short-term value: C 7 mg/m³, C 5 ppm
TLV (USA)	Short-term value: C 7 mg/m³, C 5 ppm Short-term value: C 2,98 mg/m³, C 2 ppm
EL (Canada)	Short-term value: C 2 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

(Contd. on page 6)

Printing date 08.01.2014 Revision: 08.01.2014

Trade name: Emulso

· Protection of hands:

(Contd. of page 5)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR

Neoprene gloves

Fluorocarbon rubber (Viton)

· Eve protection:

Contact lenses should not be worn.



Safety glasses

Goggles recommended during refilling

· Body protection: Acid resistant protective clothing

9 Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Viscous
Colour: White

Odour: Pungent

Odour threshold: Not determined.

• pH-value at 20 °C: < 2.0

· Change in condition

Melting point/Melting range: Not Determined.

Boiling point/Boiling range: 212 °F / 100 °C

(Contd. on page 7)

Printing date 08.01.2014 Revision: 08.01.2014

Trade name: Emulso

		(Contd. of pag
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapour pressure:	Not determined.	
Density at 20 °C: Relative density Vapour density Evaporation rate	1,12 g/cm³ Not determined. Not determined. Not determined.	
· Solubility in / Miscibility with water:	Fully miscible.	
· Partition coefficient (n-octanol/water):	Not determined.	
· Viscosity: Dynamic: Kinematic: · 9.2 Other information	Not determined. Not determined. No further relevant information available.	

10 Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with metals forming hydrogen.

Reacts with alkali (lyes).

Corrosive action on metals.

Reacts with strong oxidizing agents.

Develops toxic gases/fumes.

- 10.4 Conditions to avoid Store away from oxidizing agents.
- · 10.5 Incompatible materials:

Warning! Do not use together with other products. May release dangerous gases (chlorine).

10.6 Hazardous decomposition products:

Hydrogen chloride (HCI)

(Contd. on page 8)

Printing date 08.01.2014 Revision: 08.01.2014

Trade name: Emulso

Chlorine compounds

(Contd. of page 7)

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- LD/LC50 values relevant for classification:

7647-01-0 hydrogen chloride

Oral LD50 900 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability A part of the components is biodegradable.
- **12.3 Bioaccumulative potential** Does not accumulate in organisms.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark:

The product causes an alteration of the pH-value within the testing system. The result refers to the non-neutralised sample.

After neutralization a reduction of the harming action may be recognized

- · Additional ecological information:
- · General notes:

Harmful to aquatic organisms

At present there are no ecotoxicological assessments.

This statement was deduced from the properties of the single components.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

(Contd. on page 9)

Printing date 08.01.2014 Revision: 08.01.2014

Trade name: Emulso

· 12.6 Other adverse effects No further relevant information available.

(Contd. of page 8)

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Hand over to hazardous waste disposers.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

- · 14.1 UN-Number
- · DOT, ADR, IMDG, IATA

UN1789

· 14.2 UN proper shipping name



Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 1 L (0.3 gal).

· DOT, IMDG, IATA

HYDROCHLORIC ACID 1789 HYDROCHLORIC ACID

- · 14.3 Transport hazard class(es)
- · DOT

· ADR



· Class

8 Corrosive substances.

· Label

· ADR



· Class

8 (8) Corrosive substances.

(Contd. on page 10)

Printing date 08.01.2014 Revision: 08.01.2014

Trade name: Emulso

	(Contd. of pag
· Label	8
· IMDG, IATA	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group	
DOT, ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
· Segregation groups	Acids
· 14.7 Transport in bulk according to Ann	nex II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· UN "Model Regulation":	UN1789, HYDROCHLORIC ACID, 8, II

15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA

· Section 355	(extremely	hazardous	substances):
---------------	------------	-----------	------------	----

7647-01-0 hydrochloric acid

· Section 313 (Specific toxic chemical listings):

7647-01-0 hydrochloric acid

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 11)

Printing date 08.01.2014 Revision: 08.01.2014

Trade name: Emulso

(Contd. of page 10)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic Categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

7647-01-0 hydrogen chloride

A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Canada
- · Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

7647-01-0 hydrochloric acid

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

R34 Causes burns.

R37 Irritating to respiratory system.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 12)

Printing date 08.01.2014 Revision: 08.01.2014

Trade name: Emulso

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. of page 11)



SUPER BOWL

Heavy Duty Bowl Cleaner



352043

PRODUCT INFORMATION:

- · Removes Tough Mineral Deposits
- · Cleans Rim, Scale and Water Lines
- · Works Super-Fast
- · Contains 20% HCL

pH	< 2
Form	Viscous
Fragrance	Pungent
Color	White
Packaged	12/1 qt Case

DIRECTIONS FOR USE:

IMPORTANT: DO NOT USE ON ANY SURFACES OTHER THAN TOILETS AND URINALS, EXCEPT AS DIRECTED.

TO CLEAN AND DEODORIZE TOILET BOWLS: Remove water from bowl with mop or by forcing water over trap. Squeeze water from mop and place mop in bowl. Saturate mop with cleaner and swab bowl all over, especially under rim at water outlets. Allow surface to remain wet for 3 minutes. Flush and rinse mop.

TO CLEAN AND DEODORIZE URINALS: Hold mop over trap and saturate with cleaner. Swab all surfaces including water outlets at top and grooves. Remove screen and pour 3 to 5 ounces of cleaner in drain. Allow surface to remain wet for 3 minutes. Swab drain and replace screen. Flush and rinse mop.

TO DEODORIZE ONLY: Pour 10 ounces of cleaner into bowl water. Swab commode seat and cover with solution. Allow surface to remain wet for 3 minutes. Flush toilet and rinse mop several times. Then rinse seat thoroughly and wipe dry. Inhibited to prevent damage to pipes and drains.

IMPORTANT SAFETY INFORMATION:





DANGER

Causes severe skin burns and eye damage. May cause respiratory irritation.

Do not breathe vapors. Wash hands thoroughly after handling. Wear protective gloves, protective clothing, eye protection and face protection. Use only outdoors or in a well-ventilated area. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents and container in accordance with local, regional, national and international regulations.

FIRST AID: IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or physician if you feel unwell.

FOR INDUSTRIAL & INSTITUTIONAL USE

Chemtrec Emergency Response (800) 424-9300



