Safety Data Sheet

Issue Date: 01-April-2015 Revision Date: 02-Dec-2014

1. IDENTIFICATION

Product Identifier

Product Name Champion -50 PGA Red Pool Anti-freeze

Other means of identification

SDS # CPDPR-014

Recommended use of the chemical and restrictions on use

Recommended Use Swimming Pool Pipe anti-freeze.

Details of the supplier of the safety data sheet

Supplier Address

Champion Packaging & Distribution 1840 International pkwy Woodridge, IL 60517

Emergency Telephone Number

Company Phone Number Emergency Telephone (24 hr)

630-972-0100

ephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Physical State Red Liquid

Classification

Acute toxicity - Inhalation (Gases)	Category 4
Carcinogenicity	Category 1A

Signal Word Danger

Hazard Statements

Harmful if inhaled May cause cancer





<u>Precautionary Statements - Prevention</u>

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethyl Alcohol	64-17-5	10-20
Glycerol	56-81-5	1-10
2-Propanol	67-63-0	1-10
Methyl alcohol	67-56-1	<1
Methylisobutyl ketone	108-10-1	<1

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice If exposed or concerned: Get medical advice/attention.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects

Symptoms Harmful if inhaled. May cause cancer.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Use personal protective equipment as required. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up.

Incompatible MaterialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	
Glycerol	-	TWA: 15 mg/m ³ mist, total	-
56-81-5		particulate	
		TWA: 5 mg/m ³ mist, respirable	
		fraction	
		(vacated) TWA: 10 mg/m ³ mist,	
		total particulate	
		(vacated) TWA: 5 mg/m ³ mist,	
		respirable fraction	
2-Propanol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	
Methyl alcohol	STEL: 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm
67-56-1	TWA: 200 ppm	TWA: 260 mg/m ³	TWA: 200 ppm
	S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m ³
		(vacated) TWA: 260 mg/m ³	STEL: 250 ppm
		(vacated) STEL: 250 ppm	STEL: 325 mg/m ³
		(vacated) STEL: 325 mg/m ³	
		(vacated) S*	

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methylisobutyl ketone	STEL: 75 ppm	TWA: 100 ppm	IDLH: 500 ppm
108-10-1	TWA: 20 ppm	TWA: 410 mg/m ³	TWA: 50 ppm
		(vacated) TWA: 50 ppm	TWA: 205 mg/m ³
		(vacated) TWA: 205 mg/m ³	STEL: 75 ppm
		(vacated) STEL: 75 ppm	STEL: 300 mg/m ³
		(vacated) STEL: 300 mg/m ³	

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Avoid contact with eyes.

Skin and Body Protection Wear suitable protective clothing.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceClear Red LiquidOdorNot determinedColorRedOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

7.67 Hq **Melting Point/Freezing Point** Not determined **Boiling Point/Boiling Range** Not determined Flash Point Not determined **Evaporation Rate** Not determined Flammability (Solid, Gas) Not determined **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined **Vapor Density** Not determined **Specific Gravity** .974 - .990 **Water Solubility** Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined Not determined **Explosive Properties Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Harmful if inhaled.

Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl Alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
Glycerol 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg(Rabbit)	> 570 mg/m³ (Rat) 1 h
1,2 Propanediol 57-55-6	= 20000 mg/kg (Rat)	= 20800 mg/kg (Rabbit)	-
2-Propanol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat) 4 h
Methyl alcohol 67-56-1	= 5628 mg/kg (Rat)	= 15800 mg/kg (Rabbit)	= 83.2 mg/L (Rat) 4 h = 64000 ppm (Rat) 4 h
Methylisobutyl ketone 108-10-1	= 2080 mg/kg (Rat)	> 16000 mg/kg (Rabbit)	= 8.2 mg/L (Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity May cause cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol	A3	Group 1	Known	X
64-17-5				
2-Propanol		Group 3		X
67-63-0				
Methylisobutyl ketone 108-10-1	А3	Group 2B		Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans
Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

	Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
				microorganisms	
	Ethyl Alcohol		12.0 - 16.0: 96 h	EC50 = 34634 mg/L 30 min	9268 - 14221: 48 h Daphnia
	64-17-5		Oncorhynchus mykiss mL/L	EC50 = 35470 mg/L 5 min	magna mg/L LC50 10800: 24
			LC50 static 100: 96 h		h Daphnia magna mg/L
			Pimephales promelas mg/L		EC50 2: 48 h Daphnia
			LC50 static 13400 - 15100:		magna mg/L EC50 Static
			96 h Pimephales promelas		
			mg/L LC50 flow-through		
	Glycerol		51 - 57: 96 h Oncorhynchus		
	56-81-5		mykiss mL/L LC50 static		
	1,2 Propanediol	19000: 96 h	51600: 96 h Oncorhynchus		10000: 24 h Daphnia magna
	57-55-6	Pseudokirchneriella	mykiss mg/L LC50 static 41 -		mg/L EC50 1000: 48 h
		subcapitata mg/L EC50	47: 96 h Oncorhynchus		Daphnia magna mg/L EC50
		,	mykiss mL/L LC50 static		Static
			51400: 96 h Pimephales		
			promelas mg/L LC50 static		
			710: 96 h Pimephales		
			promelas mg/L LC50		
	2-Propanol	1000: 96 h Desmodesmus	9640: 96 h Pimephales		13299: 48 h Daphnia magna
	67-63-0	subspicatus mg/L EC50	promelas mg/L LC50 flow-		mg/L EC50
		1000: 72 h Desmodesmus	through 11130: 96 h		· ·
		subspicatus mg/L EC50	Pimephales promelas mg/L		
			LC50 static 1400000: 96 h		
			Lepomis macrochirus µg/L		
			LC50		
	Methyl alcohol		28200: 96 h Pimephales	EC50 = 39000 mg/L 25 min	
	67-56-1		promelas mg/L LC50 flow-	EC50 = 40000 mg/L 15 min	
			through 100: 96 h	EC50 = 43000 mg/L 5 min	
			Pimephales promelas mg/L		
			LC50 static 19500 - 20700:		
			96 h Oncorhynchus mykiss		
			mg/L LC50 flow-through 18 -		
			20: 96 h Oncorhynchus		
			mykiss mL/L LC50 static		
			13500 - 17600: 96 h		
			Lepomis macrochirus mg/L		
			LC50 flow-through		
M	ethylisobutyl ketone	400: 96 h	496 - 514: 96 h Pimephales	EC50 = 79.6 mg/L 5 min	170: 48 h Daphnia magna
	108-10-1	Pseudokirchneriella	promelas mg/L LC50 flow-		mg/L EC50
		subcapitata mg/L EC50	through		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Ethyl Alcohol	-0.32
64-17-5	
Glycerol	-1.76
56-81-5	
2-Propanol	0.05
67-63-0	
Methyl alcohol	-0.77
67-56-1	
Methylisobutyl ketone	1.19
108-10-1	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of WastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methyl alcohol		Included in waste stream:		U154
67-56-1		F039		
Methylisobutyl ketone		Included in waste stream:		U161
108-10-1		F039		

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Ethyl Alcohol	Toxic
64-17-5	Ignitable
2-Propanol	Toxic
67-63-0	Ignitable
Methyl alcohol	Toxic
67-56-1	Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG

Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Ethyl Alcohol	Present	Χ		Present		Present	Х	Present	Χ	Χ
Glycerol	Present	Х		Present		Present	Х	Present	Х	Х
2-Propanol	Present	Х		Present		Present	Х	Present	Х	Х
Methyl alcohol	Present	Х		Present		Present	Х	Present	Х	Х
Methylisobutyl ketone	Present	Х		Present		Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methyl alcohol	5000 lb		RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ
Methylisobutyl ketone	5000 lb		RQ 5000 lb final RQ
108-10-1			RQ 2270 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
2-Propanol - 67-63-0	67-63-0	1.5	1.0

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Ethyl Alcohol - 64-17-5	Carcinogen	
	Developmental	
Methyl alcohol - 67-56-1	Developmental	
Methylisobutyl ketone - 108-10-1	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl Alcohol 64-17-5	X	X	X
Glycerol 56-81-5	Х	X	Х
1,2 Propanediol 57-55-6	X		X
2-Propanol 67-63-0	X	X	Х
Methyl alcohol 67-56-1	Х	Х	Х
Chemical Name	New Jersey	Massachusetts	Pennsylvania

Methylisobutyl ketone	X	X	X
108-10-1			

16. OTHER INFORMATION

NFPAHealth Hazards
0Flammability
1Instability
0Special Hazards
Not determinedHMISHealth Hazards
0Flammability
1Physical Hazards
0Personal Protection
B

Issue Date:01-April-2015Revision Date:02-Dec-2014Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet