### SAFETY DATA SHEET

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL SDS QUESTIONS & REQUESTS, CALL:

1-800-654-6911 (OUTSIDE USA: 1-423-780-2970) 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887) 1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

# PRODUCT NAME: E-Z CLOR O2 SHOCK

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Advantis Technologies 1200 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States of America REVISION DATE: SUPERCEDES:

MSDS Number: SYNONYMS: CHEMICAL FAMILY: DESCRIPTION / USE FORMULA: 05/26/2015 04/04/2013

000000024381 None Water treatment chemical Not Applicable/Mixture

# **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification		
Acute toxicity (Oral)	:	Category 4
Skin corrosion	:	Category 1B
Serious eye damage	:	Category 1
Respiratory sensitisation	:	Category 1
Skin sensitisation	:	Category 1
GHS Label element Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage.
E-Z CLOR O2 SHOCK		

	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Precautionary statements :	<ul> <li>Prevention:</li> <li>P260 Do not breathe dust or mist.</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P270 Do not eat, drink or smoke when using this product.</li> <li>P272 Contaminated work clothing should not be allowed out of the workplace.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P285 In case of inadequate ventilation wear respiratory protection.</li> <li>P285 In case of inadequate ventilation wear respiratory protection.</li> <li>P285 In case of inadequate ventilation wear respiratory protection.</li> <li>Response:</li> <li>P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.</li> <li>P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.</li> <li>P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.</li> <li>P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.</li> <li>P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.</li> <li>P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/ physician.</li> <li>P363 Wash contaminated clothing before reuse.</li> <li>Storage:</li> <li>P405 Store locked up.</li> <li>Disposal:</li> <li>P501 Dispose of contents/ container to an approved waste disposal plant.</li> </ul>

#### Other hazards

None known.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

CAS OR CHEMICAL NAME Pentapotassium bis(peroxymonosulphate) bis(sulphate)	<u>CAS #</u> 70693-62-8	<u>% RANGE</u> 75 - 85
Sodium carbonate	497-19-8	10 - 20
POTASSIUM PEROXYDISULFATE	7727-21-1	1 - 4

Tetra[carbonato(2-)]dihydroxypentamagnesium

7760-50-1

0-2

# **SECTION 4. FIRST AID MEASURES**

Inhalation:	IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if respiratory irritation develops. If not breathing, give artificial respiration. Call for medical assistance.
Skin Contact:	IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the clothing should be removed immediately and laundered before re-use. Seek medical attention.
Eye Contact:	IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.
Ingestion:	IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.

### **SECTION 5. FIREFIGHTING MEASURES**

Flammability Summary (OSHA):	Product is not known to be flammable, combustible, pyrophoric or explosive.
<u>Flammable Properties</u> Flash Point: Autoignition Temperature:	Not applicable Not applicable
Fire / Explosion Hazards:	Material will not ignite or burn. Will release oxygen when heated, intensifying a fire
Extinguishing Media:	Water
Fire Fighting Instructions:	Use water spray to cool unopened containers. In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.
Upper Flammable / Explosive Limit, % in air:	no data available
Lower Flammable / Explosive Limit, % in air:	no data available

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal Protection for Emergency Situations:	Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to boots, impervious gloves, hard hat, splash-proof goggles, impervious clothing, i.e., chemically impermeable suit, self-contained breathing apparatus.
Spill Mitigation Procedures	
Air Release:	Keep people away from and upwind of spill/leak.
Water Release:	Notify all downstream users of possible contamination.Divert water flow around spill if possible and safe to do so.
Land Release:	Sweep up and shovel into suitable containers for disposal.Avoid creating dust.
Additional Spill Information :	Stop source of spill as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non- essential personnel. Dispose of spill residues per guidelines under Section 13, Disposal Consideration.

# SECTION 7. HANDLING AND STORAGE

Handling:	Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Avoid inhalation of dust and fumes.
Storage:	Store in a cool, dry and well ventilated place. Isolate from incompatible materials. Keep containers tightly closed when not in use.
Incompatible Materials for Storage:	Refer to Section 10, "Incompatible Materials."

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Ventilation:	Local exhaust ventilation is recommended if significant dusting occurs.	
	Otherwise use general exhaust ventilation.	
Protective Equipment for Routine Use of Product		

Respiratory Protection :	If dusting occurs, wear a NIOSH approved respirator., A NIOSH approved air purifying respirator with dust/mist filter.
Skin Protection :	Avoid contact with skin. Impervious gloves Neoprene Butyl rubber
Eye Protection:	Chemical resistant goggles must be worn. Face-shield
Protective Clothing Type:	Impervious, Neoprene, Butyl rubber
General Protective	Ensure that eyewash stations and safety showers are close to the
Measures:	workstation location.

#### Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
POTASSIUM PEROXYDISULFATE (7727-	TWA	0.1 mg/m3	ACGIH (02 2014)

21-1)

[as persulfate]

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State: Form Color: Odor: Molecular Weight: pH : Boiling Point:	solid solid white mild None established No data. no data available
Melting point/freezing point	no data available
Density	no data available
Bulk Density:	() no data available
Vapor Pressure:	no data available
Vapor Density:	no data available
Viscosity:	no data available
Solubility in Water:	250 g/l
	68 °F (20 °C)
Partition coefficient n- octanol/water:	Not applicable
Evaporation Rate:	Not applicable
Oxidizing:	Product has oxidizing properties.
Volatiles, % by vol.:	no data available
VOC Content	no data available This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.
HAP Content	Not applicable

# SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary: Conditions to Avoid: Chemical Incompatibility: Hazardous Decomposition Products:	Stable under normal conditions. High temperatures, Exposure to moist air or water Oxidizing agents, Heavy metal salts, Cyanides, Halides Decomposes when heated or dampened, releasing oxygen and heat. Oxides of sulfur
Decomposition Temperature:	heat, Oxides of sulfur no data available

# **SECTION 11. TOXICOLOGICAL INFORMATION**

bis(peroxymonosulphat e) bis(sulphate) Sodium carbonate LD50 = 4,090 mg/kg Rat Component Animal Toxicology Dermal LD50 value: Pentapotassium LD50 > 2,000 mg/kg Rat bis(peroxymonosulphat e) bis(sulphate) Sodium carbonate LD50 Believed to be > 2,000 mg/kg Rabbit Component Animal Toxicology Inhalation LC50 value: Sodium carbonate LC50 1 h = 4.6 mg/l Rat Product Animal Toxicity Oral LD50 value: Believed to be > 2,000 mg/kg Dermal LD50 value: Believed to be > 2,000 mg/kg Dermal LD50 value: Believed to be > 2,000 mg/kg No data. value: Skin Sensitization: Corrosive to skin Eye Irritation: Corrosive to eyes Skin Sensitization: Not believed to be sensitising to skin. Subchronic / Chronic There are no known or reported effects from chronic exposure. Toxicity: Sodium carbonate Male rats were exposed to an aerosol of 2% aqueous solution of this chemical, 4 hr.day, 5 days/week for 3-1 months. No effect was observed at a concentration of 10 or 20 mg/cubic meter. At 70 mg/cubic meter weigh gain was decreased and the lungs showed thickening the intra-alveolar walls, hyperemia, and lymphoid		the Ames assay. It was also shown to be non-
bis(peroxymonosulphat e) bis(sulphate) Sodium carbonate LD50 = 4,090 mg/kg Rat Component Animal Toxicology Dermal LD50 value: Pentapotassium LD50 > 2,000 mg/kg Rat bis(peroxymonosulphat e) bis(sulphate) Sodium carbonate LD50 Believed to be > 2,000 mg/kg Rabbit Component Animal Toxicology Inhalation LC50 value: Sodium carbonate LC50 1 h = 4.6 mg/l Rat Product Animal Toxicity Oral LD50 value: Believed to be > 2,000 mg/kg Dermal LD50 value: Believed to be > 2,000 mg/kg Dermal LD50 value: Believed to be > 2,000 mg/kg Dermal LD50 value: Believed to be > 2,000 mg/kg Inhalation LC50 No data. Value: Skin Fritation: Corrosive to skin Eye Irritation: Corrosive to skin Subchronic / Chronic There are no known or reported effects from chronic exposure. Toxicity: Sodium carbonate Male rats were exposed to an aerosol of 2% aqueous solution of this chemical, 4 hr.day, 5 days/week for 3-1 months. No effect was observed at a concentration of 10 or 20 mg/cubic meter. At 70 mg/cubic meter weight gain was decreased and the lungs showed hickening the intra-alveolar walls, hyperemia, and lymphoid infiltration., Repeated or prolonged skin contact with th product may cause dermatitis and bistering. Reproductive and Not known or reported to cause reproductive or developmental toxicity. Sodium carbonate Toxicity: Sodium carbonate Toxicity: Sodiu		
bis(peroxymonosulphat e) bis(sulphate) Sodium carbonate LD50 = 4,090 mg/kg Rat Component Animal Toxicology Dermal LD50 value: Pentapotassium LD50 > 2,000 mg/kg Rat bis(peroxymonosulphat e) bis(sulphate) Sodium carbonate LD50 Believed to be > 2,000 mg/kg Rabbit Component Animal Toxicology Inhalation LC50 value: Sodium carbonate LC50 1 h = 4.6 mg/l Rat Product Animal Toxicity Oral LD50 value: Believed to be > 2,000 mg/kg Dermal LD50 value: Believed to be > 2,000 mg/kg Dermal LD50 value: Believed to be > 2,000 mg/kg Inhalation LC50 No data. value: Skin Sensitization: Corrosive to skin Eye Irritation: Corrosive to eyes Skin Sensitization: Not believed to be sensitising to skin. Subchronic / Chronic There are no known or reported effects from chronic exposure. Toxicity: Sodium carbonate Male rats were exposed to an aerosol of 2% aqueous solution of this chemical, 4 hr.day, 5 days/week for 3-1 months. No effect was observed at a concentration of 10 or 20 mg/cubic meter. At 70 mg/cubic meter. At 70 mg/cubic meter weigh gain was decreased and the lungs showed thickening the intra-alveolar walls, hyperemia, and lymphoid infiltration. Repeated or prolonged skin contact with tt product may cause dermatitis and bistering. Reproductive and Not known or reported to cause reproductive or developmental toxicity.	Sodium carbo	,
bis(peroxymonosulphat e) bis(sulphate) Sodium carbonate LD50 = 4,090 mg/kg Rat <u>Component Animal Toxicology</u> <u>Dermal LD50 value</u> : Pentapotassium LD50 > 2,000 mg/kg Rat bis(peroxymonosulphat) e) bis(sulphate) Sodium carbonate LD50 Believed to be > 2,000 mg/kg Rabbit <u>Component Animal Toxicology</u> <u>Inhalation LC50 value</u> : Sodium carbonate LC50 1 h = 4.6 mg/l Rat <u>Product Animal Toxicity</u> <u>Oral LD50 value</u> : Believed to be > 2,000 mg/kg <u>Dermal LD50 value</u> : Believed to be > 2,000 mg/kg <u>Dermal LD50 value</u> : Believed to be > 2,000 mg/kg <u>Inhalation LC50</u> No data. <u>value</u> : Skin Irritation: Corrosive to skin Eye Irritation: Corrosive to eyes Skin Sensitization: Not believed to be sensitising to skin. Subchronic / Chronic There are no known or reported effects from chronic exposure. Toxicity: Sodium carbonate Male rats were exposed to an aerosol of 2% aqueous solution of this chemical, 4 hr.day, 5 days/week for 3-1 months. No effect was observed at a concentration of 10 or 20 mg/cubic meter. At 70 mg/cubic meter weight gain was decreased and the lungs showed thickening the intra-alveolar walls, hyperemia, and lymphoid infiltration Repeated or prolonged skin contact with th		
bis(peroxymonosulphat e) bis(sulphate) Sodium carbonate LD50 = 4,090 mg/kg Rat <u>Component Animal Toxicology</u> <u>Dermal LD50 value</u> : Pentapotassium LD50 > 2,000 mg/kg Rat bis(peroxymonosulphat e) bis(sulphate) Sodium carbonate LD50 Believed to be > 2,000 mg/kg Rabbit <u>Component Animal Toxicology</u> <u>Inhalation LC50 value</u> : Sodium carbonate LC50 1 h = 4.6 mg/l Rat <u>Product Animal Toxicity</u> <u>Oral LD50 value</u> : Believed to be > 2,000 mg/kg <u>Dermal LD50 value</u> : Believed to be > 2,000 mg/kg <u>Dermal LD50 value</u> : Believed to be > 2,000 mg/kg <u>Dermal LD50 value</u> : Believed to be > 2,000 mg/kg <u>Inhalation LC50</u> No data. <u>value</u> : Skin Irritation: Corrosive to skin Eye Irritation: Corrosive to eyes Skin Sensitization: Not believed to be sensitising to skin. Subchronic / Chronic There are no known or reported effects from chronic exposure.	Sodium carbo	solution of this chemical, 4 hr.day, 5 days/week for 3-1, months. No effect was observed at a concentration of 10 or 20 mg/cubic meter. At 70 mg/cubic meter weight gain was decreased and the lungs showed thickening of the intra-alveolar walls, hyperemia, and lymphoid infiltration., Repeated or prolonged skin contact with thi
bis(peroxymonosulphat e) bis(sulphate) Sodium carbonate LD50 = 4,090 mg/kg Rat Component Animal Toxicology Dermal LD50 value: Pentapotassium LD50 > 2,000 mg/kg Rat bis(peroxymonosulphat e) bis(sulphate) Sodium carbonate LD50 Believed to be > 2,000 mg/kg Rabbit Component Animal Toxicology Inhalation LC50 value: Sodium carbonate LC50 1 h = 4.6 mg/l Rat Product Animal Toxicity Oral LD50 value: Believed to be > 2,000 mg/kg Dermal LD50 value: Believed to be > 2,000 mg/kg Inhalation LC50 No data. Value: Skin Irritation: Corrosive to skin Eye Irritation: Corrosive to ses		There are no known or reported effects from chronic exposure.
bis(peroxymonosulphat e) bis(sulphate) Sodium carbonate $LD50 = 4,090 \text{ mg/kg}$ Rat Component Animal Toxicology Dermal LD50 value: Pentapotassium $LD50 > 2,000 \text{ mg/kg}$ Rat bis(peroxymonosulphat e) bis(sulphate) Sodium carbonate $LD50$ Believed to be > 2,000 mg/kg Rabbit Component Animal Toxicology Inhalation LC50 value: Sodium carbonate $LC50 1 \text{ h} = 4.6 \text{ mg/l}$ Rat Product Animal Toxicity Oral LD50 value: Believed to be > 2,000 mg/kg Dermal LD50 value: Believed to be > 2,000 mg/kg Inhalation LC50 No data.	Skin Irritation: Eye Irritation:	Corrosive to eyes
bis(peroxymonosulphat e) bis(sulphate) Sodium carbonate LD50 = 4,090 mg/kg Rat <u>Component Animal Toxicology</u> <u>Dermal LD50 value</u> : Pentapotassium LD50 > 2,000 mg/kg Rat bis(peroxymonosulphat e) bis(sulphate) Sodium carbonate LD50 Believed to be > 2,000 mg/kg Rabbit <u>Component Animal Toxicology</u> <u>Inhalation LC50 value</u> :	Oral LD50 value: Dermal LD50 value: Inhalation LC50	Believed to be > 2,000 mg/kg
bis(peroxymonosulphat e) bis(sulphate) Sodium carbonate LD50 = 4,090 mg/kg Rat <u>Component Animal Toxicology</u> <u>Dermal LD50 value</u> : Pentapotassium LD50 > 2,000 mg/kg Rat bis(peroxymonosulphat e) bis(sulphate)	Inhalation LC50 value:	
bis(peroxymonosulphat e) bis(sulphate) Sodium carbonate LD50 = 4,090 mg/kg Rat <u>Component Animal Toxicology</u> <u>Dermal LD50 value</u> :	e) bis(sulphate)	LD50 Believed to be > 2,000 mg/kg Rabbit
bis(peroxymonosulphat e) bis(sulphate)	Dermal LD50 value:	
bis(peroxymonosulphat	, , , ,	LD50 = 4,090 mg/kg Rat
Component Animal Toxicology Oral LD50 value:	Oral LD50 value: Pentapotassium bis(peroxymonosulphat	LD50 500 mg/kg Rat

clastogenic in the chromosomal aberration test.

Carcinogenicity:

This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA.

### **SECTION 12. ECOLOGICAL INFORMATION**

Overview:

No data for product. Individual constituents are as follows:

#### Ecological Toxicity Values for: Sodium carbonate

Pimephales promelas (fathead minnow)	-	(nominal, static). 96 h LC50 < 850 mg/l
Bluegill Mosquito fish Daphnia magna, Ceriodaphnia dubia Navicula seminulum (diatom)	- - -	(nominal, static). 96 h LC50 = 320 mg/l (nominal, static). 96 h LC50 = 740 mg/l (nominal, static). 48 h LC50= 265 mg/l (nominal) 48 h EC50= 199.82 mg/l (nominal, static). 96 h EC50 = 242 mg/l

#### Ecological Toxicity Values for: POTASSIUM PEROXYDISULFATE

Cyprinus carpio (Carp)	-	48 h LC50 = 1,360 mg/l
Oncorhynchus mykiss (rainbow	-	48 h LC50 = 234 mg/l
trout)		
Poecilia reticulata (guppy)	-	48 h LC50 = 845 mg/l
Daphnia magna (Water flea)	-	48 h LC50= 92 mg/l

### **SECTION 13. DISPOSAL CONSIDERATIONS**

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary : If this product becomes a waste, it will be a nonhazardous waste.

Disposal Methods : As a nonhazardous solid waste it should be disposed of in accordance with local, state and federal regulations.

# **SECTION 14. TRANSPORT INFORMATION**

<b>DOT</b> UN number Description of the goods Class Packing group Labels Emergency Response Guidebook Number	<ul> <li>3260</li> <li>Corrosive solid, acidic, inorganic, n.o.s.</li> <li>(Potassium hydrogenperoxomonosulphate)</li> <li>8</li> <li>II</li> <li>8</li> <li>154</li> </ul>
<b>TDG</b> UN number Description of the goods Class Packing group Labels	<ul> <li>3260</li> <li>CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Potassium hydrogenperoxomonosulphate)</li> <li>8</li> <li>II</li> <li>8</li> </ul>
IATA UN number Description of the goods Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft) Packing instruction (passenger aircraft)	<ul> <li>3260</li> <li>Corrosive solid, acidic, inorganic, n.o.s. (Potassium hydrogenperoxomonosulphate)</li> <li>8</li> <li>II</li> <li>8</li> <li>863</li> <li>859</li> <li>Y844</li> </ul>
IMDG-CODE UN number Description of the goods Class Packing group Labels EmS Number 1 EmS Number 2	<ul> <li>3260</li> <li>CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Potassium hydrogenperoxomonosulphate)</li> <li>8</li> <li>II</li> <li>8</li> <li>F-A</li> <li>S-B</li> </ul>

# **SECTION 15. REGULATORY INFORMATION**

EPCRA - Emergency Planning and Community Right-to-Know Act

#### **SARA 302**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **US State Regulations**

#### Massachusetts Right To Know

	Dipotassium peroxodisulphate	7727-21-1
Pennsylvania Right To Know		
	pentapotassium bis(peroxymonosulphate) bis(sulphate)	70693-62-8
	Sodium carbonate Dipotassium peroxodisulphate	497-19-8 7727-21-1

#### New Jersey Right To Know

pentapotassium	70693-62-8
bis(peroxymonosulphate)	
bis(sulphate)	
Sodium carbonate	497-19-8
Dipotassium	7727-21-1
peroxodisulphate	
tetra[carbonato(2-	7760-50-1
)]dihydroxypentamagnesium	

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

TSCA

: The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

### **SECTION 16. OTHER INFORMATION**

SECTIONS REVISED: Major References : 3 Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.



### SAFETY DATA SHEET

according to US Regulation 29 CFR 1910.1200 and the Canadian HPA

# **REGAL POOL CARE SYSTEM OXY- KLEAR**

Version 1.0	Revision Date 2020.04.23	Print Date 2020.11.07
SECTION 1. IDENTIFICATION		
Product name	: REGAL POOL CARE SYSTEM	OXY- KLEAR
Manufacturer or supplier's details		
Company	<ul> <li>Innovative Water Care, LLC 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004</li> </ul>	
Telephone E-mail address	: 1-800-511-6737 (Outside the US : sds@sigurawater.com	,
Emergency telephone number	: 1-800-654-6911 (Outside the US	SA: 1-423-780-2970)

#### Recommended use of the chemical and restrictions on use

Recommended use	:	Water treatment chemical

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification	
Acute toxicity (Oral)	: Category 4
Skin corrosion	: Category 1B
Serious eye damage	: Category 1
Respiratory sensitisation	: Category 1
Skin sensitisation	: Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	<ul> <li>H302 Harmful if swallowed.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H317 May cause an allergic skin reaction.</li> </ul>
Ref. 41694.3 / 00000039991	SDS_US / EN



	H334 May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.
Precautionary statements	<ul> <li>Prevention:</li> <li>P260 Do not breathe dust or mist.</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P270 Do not eat, drink or smoke when using this product.</li> <li>P272 Contaminated work clothing should not be allowed out of the workplace.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P284 Wear respiratory protection.</li> <li><b>Response:</b></li> <li>P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.</li> <li>P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.</li> <li>P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.</li> <li>P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.</li> <li>P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.</li> <li>P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.</li> <li>P362 + P364 Take off contaminated clothing and wash it before reuse.</li> <li>Storage:</li> <li>P405 Store locked up.</li> <li>Disposal:</li> <li>P501 Dispose of contents/container in accordance with local regulation.</li> </ul>
Other hazards	

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Mixture

#### Hazardous components

Chemical name / Synonyms	CAS-No.	Concentration (% w/w)
Potassium hydrogenperoxomonosulphate	10058-23-8	43 - 47
Potassium hydrogensulphate	7646-93-7	20 - 26
Dipotassium peroxodisulphate	7727-21-1	1 - 5



#### **SECTION 4. FIRST AID MEASURES**

If inhaled	IF INHALED: Remove individual to fresh air. Seek medical attention if breathing becomes difficult or if res- piratory irritation develops. If not breathing, give artificial respiration. Call for medical assistance.
In case of skin contact	IF ON SKIN: Immediately flush skin with plenty of water for 15 minutes. If clothing comes in contact with the product, the clothing should be removed immediately and laundered befor re-use. Seek medical attention.
In case of eye contact	IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention immediately.
If swallowed	IF SWALLOWED: Call a physician immediately. DO NOT induce vomiting unless directed to do so by a physician. Neve give anything by mouth to an unconscious person.
Most important symptoms and ef- fects, both acute and delayed	None known.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Water only.
Specific hazards during firefighting	:	Material will not ignite or burn. Will release oxygen when heated, intensifying a fire
Further information	:	In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8. Use water to cool containers.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency proce- dures	:	Wear personal protective equipment. Stop source of spill as soon as possible and notify appropriate personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all non-essential personnel. For disposal considerations see section 13.
Environmental precautions	:	If the product contaminates rivers and lakes or drains inform respective authorities.



Methods and materials for contain- ment and cleaning up	<ul> <li>Sweep up and shovel into suitable containers for disposal.</li> <li>Do not flush into surface water or sanitary sewer system.</li> <li>Avoid dust formation.</li> </ul>

#### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: Do not take internally. Avoid contact with skin, eyes and cloth- ing. Upon contact with skin or eyes, wash off with water. Avoid inhalation of dust and fumes.
Conditions for safe storage	: Store in a cool dry ventilated location, away from sources of ignition or other incompatible conditions and chemicals. Keep container(s) closed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissi- ble concentra- tion	Basis
Dipotassium peroxodisulphate	7727-21-1	TWA	0.1 mg/m3 (as persulfate)	ACGIH
Engineering measures	normally keep air	required when	n or other engineerin handling or using th s below the TLV, PE hit.	is product to
Personal protective equipment Respiratory protection		NIOSH approve its are possible.	d respirator if levels	above the expo-
Hand protection				
Remarks	ous suit		to avoid skin conta d if exposure is pos	
Eye protection	: Use che	chemical goggles.		
Skin and body protection	: Neoprer	ne		
Protective measures		wash and safety ate work area.	shower should be p	provided in the

#### Components with workplace control parameters



#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	solid
Colour	:	white
Odour	:	none
Odour Threshold	:	no data available
рН	:	2.1 Concentration: 3 %
Melting point/freezing point	:	no data available
Boiling point/boiling range	:	no data available
Flash point	:	no data available
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Product is not known to be flammable, combustible, pyrophor- ic or explosive.
Flammability (liquids)	:	no data available
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Vapour pressure	:	Not applicable
Relative vapour density	:	no data available
Relative density	:	1.1000 - 1.4000
Density	:	no data available
Water solubility	:	25.6 g/l (68 °F / 20 °C)
Partition coefficient: n-octanol/water	:	no data available
Auto-ignition temperature	:	no data available
Decomposition temperature	:	no data available
Viscosity, dynamic	:	no data available
Viscosity, kinematic	:	no data available
Oxidizing properties	:	no data available



#### SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	:	Sparks, open flame, other ignition sources, and elevated tem- peratures. Contact with incompatible substances
Incompatible materials	:	Oxidizing agents Halides Cyanides Heavy metals such as cobalt, nickel, copper, or manganese
Hazardous decomposition products	:	Decomposes when heated or dampened, releasing oxygen and heat Oxides of sulfur

#### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of expo- sure	:	Inhalation, skin, eyes, ingestion
Acute toxicity		
Acute oral toxicity	:	LD50 (Rat): 500 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 5,000 mg/kg

#### Skin corrosion/irritation

Result: Corrosive to skin

#### Serious eye damage/eye irritation

Result: Corrosive to eyes

#### Respiratory or skin sensitisation

Remarks: May cause sensitisation by inhalation and skin contact.

#### Carcinogenicity

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA#s list of regulated carcinogens.



NTP		No component of this product present at levels greater than o equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
ACGIH		No component of this product present at levels greater than o equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
Further information		
Remarks: no data available		
CTION 12. ECOLOGICAL INFORMAT	101	l
Ecotoxicity		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): = 53 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquat- ic invertebrates	:	EC50 (Daphnia magna (Water flea)): = 3.5 mg/l Exposure time: 48 h
Persistence and degradability no data available		
Bioaccumulative potential		
Components:		
Potassium hydrogensulphate:		
Partition coefficient: n-octanol/water	:	Remarks: Not applicable
<b>Mobility in soil</b> no data available		
Other adverse effects		
Ozone-Depletion Potential	:	Regulation: US. EPA Clean Air Act (CAA) Section 602 Ozone- Depleting Substances (40 CFR 82, Subpt. A, App A & B) Remarks: This product neither contains, nor was manufac- tured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	:	Moderately toxic to fish and other aquatic organisms.

#### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal met	thods			
		10.11	 	

: If this product becomes a waste, it will be a nonhazardous



waste.

As a nonhazardous solid waste it should be disposed of in accordance with local, state and federal regulations.

#### **SECTION 14. TRANSPORT INFORMATION**

#### DOT

	UN number Proper shipping name Transport hazard class Packing group Labels Emergency Response Guidebook Number Environmental hazards	:	3260 Corrosive solid, acidic, inorganic, n.o.s. (Potassium hydrogenperoxomonosulphate) 8 II 8 154 no
TDG			
	UN number Proper shipping name Transport hazard class Packing group Labels Environmental hazards	:	3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Potassium hydrogenperoxomonosulphate) 8 II 8 no
ΙΑΤΑ			
	UN number Proper shipping name Transport hazard class Packing group Labels Environmental hazards		3260 Corrosive solid, acidic, inorganic, n.o.s. (Potassium hydrogenperoxomonosulphate) 8 II 8 no
IMDG			
	UN number Proper shipping name Transport hazard class Packing group Labels EmS Number 1 EmS Number 2 Environmental hazards	:	3260 Corrosive solid, acidic, inorganic, n.o.s. (Potassium hydrogenperoxomonosulphate) 8 II 8 F-A S-B Marine pollutant: no



#### ADR

UN number Proper shipping name	<ul> <li>3260</li> <li>CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Potassium hydrogenperoxomonosulphate)</li> </ul>
Transport hazard class	: 8
Packing group	: 11
Classification Code	: C2
Hazard Identification Number	: 80
Labels	: 8
Environmental hazards	: no

#### RID

UN number Proper shipping name Transport hazard class Packing group Classification Code Hazard Identification Number Labels Environmental hazards	<ul> <li>3260</li> <li>CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S (Potassium hydrogenperoxomonosulphate)</li> <li>8</li> <li>II</li> <li>C2</li> <li>80</li> <li>8</li> <li>no</li> </ul>	3.
Special precautions for user	: none	
Transport in bulk according to An- nex II of MARPOL 73/78 and the IBC Code	: Not applicable	

#### **SECTION 15. REGULATORY INFORMATION**

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 311/312 Hazards

See above: SECTION 2. Hazard Identification-GHS Classification

#### SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.



#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

#### Clean Water Act

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **US State Regulations**

#### Massachusetts Right To Know

Components	CAS-No.
Dipotassium peroxodisulphate	7727-21-1
Magnesium carbonate	546-93-0

#### Pennsylvania Right To Know

Components	CAS-No.
Potassium hydrogenperoxomonosulphate	10058-23-8
Potassium hydrogensulphate	7646-93-7
Dipotassium peroxodisulphate	7727-21-1

#### New Jersey Right To Know

Components	CAS-No.
Potassium hydrogenperoxomonosulphate	10058-23-8
Potassium hydrogensulphate	7646-93-7
Dipotassium peroxodisulphate	7727-21-1
Potassium sulfate	7778-80-5
Magnesium carbonate	546-93-0



#### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **Canadian lists**

#### NPRI

Canadian National Pollutant Release Inventory (NPRI): No component is listed on NPRI.

#### The components of this product are reported in the following inventories:

TSCA

: The components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH

: US. ACGIH Threshold Limit Values

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx -Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR -(Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH -Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act



(United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

3 Revision Date

: 2020.04.23

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Date format

: yyyy/mm/dd

US / EN