361011

SAFETY DATA SHEET

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL: 1-800-654-6911 (OUTSIDE

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®: 1-800-424-9300 (OUTSIDE

USA: 1-703-527-3887) FOR ALL SDS QUESTIONS & REQUESTS, CALL: 1-800-511-MSDS (OUTSIDE

USA: 1-423-780-2347)

USA: 1-423-780-2970)

PRODUCT NAME: GLB GRANULAR

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Supplier REVISION DATE: 05/26/2015 **GLB** SUPERCEDES: 08/03/2011

1400 Bluegrass Lakes Parkway,

Alpharetta, GA, 30004 MSDS Number: 00000024497 **USA**

SYNONYMS: Sodium dichlor; sodium

dichloroisocyanurate, dihydrate; Sodium dichloro-s-triazinetrione dihydrate

Telefax: +17705215959 CHEMICAL FAMILY: Chloroisocyanurates Web: www.poolspacare.com **DESCRIPTION / USE** swimming pool sanitizer None established FORMULA:

Manufacturer **Advantis Technologies** 1200 Bluegrass Lakes Parkway Alpharetta, GA 30004 **United States of America**

Telephone: +17705215999

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) Category 4

Acute toxicity (Inhalation) Category 3

Skin irritation Category 2

Serious eye damage Category 1

Specific target organ toxicity -

single exposure

Category 3 (Respiratory system)

GHS Label element

GLB GRANULAR

REVISION DATE: 05/26/2015 Page 1 of 11 Hazard pictograms :







Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

Precautionary statements : **Prevention:**

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear eye protection/ face protection.

P280 Wear protective gloves.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER

or doctor/ physician if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or

doctor/ physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER

or doctor/ physician.

P312 Call a POISON CENTER or doctor/ physician if you feel

unwell.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.

GLB GRANULAR

REVISION DATE: 05/26/2015 Page 2 of 11

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

 $\begin{array}{ccc} \underline{\text{CAS OR CHEMICAL NAME}} & \underline{\text{CAS \#}} & \underline{\text{\% RANGE}} \\ \text{SODIUM DICHLORO-S-TRIAZINE} & \underline{51580-86-0} & \underline{99} \end{array}$

TRIONEDIHYDRATE

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

General Advice: Call a poison control center or doctor for treatment advice. For 24-hour

emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a

poison control center or doctor, or going for treatment.

Inhalation: IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an

ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

Call a poison control center or doctor for further treatment advice.

Skin Contact: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin

immediately with plenty of water for 15-20 minutes. Call a poison control center or

doctor for treatment advice.

Eye Contact: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Ingestion: IF SWALLOWED: Call a poison control center or doctor immediately for treatment

advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give

anything by mouth to an unconscious person.

Notes to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): Product is not known to be flammable, combustible, pyrophoric or

explosive., NFPA Oxidizer Class: Meets the criteria of an NFPA

Class 1 Oxidizer

Flammable Properties

Flash Point: Not applicable Autoignition Temperature: Not applicable

Extinguishing Media: Choose extinguishing media suitable for surrounding materials. Do

not use dry extinguishers containing ammonium compounds.

GLB GRANULAR

REVISION DATE: 05/26/2015 Page 3 of 11

Fire Fighting Instructions: Use water to cool containers exposed to fire. On small fires, use

water spray or fog. On large fires, use heavy deluge or fog streams. Flooding amounts of water may be required before extinguishment can be accomplished. Do not use dry extinguishers containing ammonium compounds. Response to this material requires the use of a full encapsulated suit and full-face (NIOSH approved) self-

contained breathing apparatus (SCBA).

Hazardous Combustion Products: During a fire, irritating and highly toxic gases may be generated by

thermal decomposition or combustion.

Upper Flammable / Explosive Limit,

% in air:

Lower Flammable / Explosive Limit, Not

% in air:

Not applicable

Not applicable

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations:

Response to a large quantity spill (100 pounds or greater) or when dusting or decomposition gas exposure could occur requires the use of a positive pressure full face supplied air repirator or self contained breathing apparatus (SCBA), chemical resistant gloves, coveralls and boots. In case of fire, this personal protective equipment should be used in addition to normal fire fighter equipment. Compatible materials for response to this material are: neoprene. Protection concerns must also address the following: If this material becomes damp/wet or contaminated in a container, the formation of nitrogen trichloride gas may occur and an explosive condition may exist.

Spill Mitigation Procedures

Air Release: Hazardous concentrations in air may be found in local spill area and

immediately downwind. Vapors may be suppressed by the use of

alcohol foam. Contain all solids for treatment or disposal.

Water Release: This material is soluble in water. Notify all downstream users of

possible contamination. Divert water flow around spill if possible and

safe to do so. Begin monitoring for available chlorine and pH

immediately.

Land Release: Do not contaminate spill material with any organic materials,

ammonia, ammonium salts or urea. Clean up all spill material with clean, dry dedicated equipment and place in a clean dry container. Avoid dust generation. Do not place spill materials back in their

original containers.

Additional Spill Information: Stop source of spill as soon as possible and notify appropriate

personnel. Utilize emergency response personal protection equipment prior to the start of any response. Evacuate all nonessential personnel. Dispose of spill residues per guidelines under

Section 13, Disposal Consideration.

GLB GRANULAR

REVISION DATE: 05/26/2015 Page 4 of 11

SECTION 7. HANDLING AND STORAGE

Handling: Do not take internally. Avoid contact with skin, eyes and clothing by

wearing proper protective equipment. Upon contact with skin or eyes, wash off with water. Avoid inhalation of dust and fumes. Store in a cool dry ventilated location, away from sources of ignition

or other incompatible conditions and chemicals. Keep container(s)

closed.

Incompatible Materials for Storage: Refer to Section 10, "Incompatible Materials." Refer to Section 10,

"Incompatible Materials."

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Local exhaust ventilation or other engineering controls are normally required

when handling or using this product to keep airborne exposures below the

TLV, PEL or other recommended exposure limit.

Protective Equipment for Routine Use of Product

Storage:

Respiratory Protection: Wear a NIOSH approved respirator if levels above the exposure limits are

possible.

Respirator Type: A NIOSH approved full-face air purifying respirator equipped with

combination chlorine/P100 cartridges. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations

exceed ten (10) times the published limit.

Skin Protection: Wear impervious gloves to avoid skin contact. A full impervious suit is

recommended if exposure is possible to a large portion of the body.

Eye Protection: Use chemical goggles.

Protective Clothing Type: Neoprene, Nitrile, Natural rubber (This includes: gloves, boots, apron,

protective suit)

General Protective An eye wash and safety shower should be provided in the immediate work

Measures: area

No hazardous ingredients

Components with workplace control parameters

no data available

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: solid

Form crystalline powder

Color: white

Odor: Mild chlorine-like

Molecular Weight: No data

Specific Gravity:

pH: 5.5 - 7.0

GLB GRANULAR

REVISION DATE: 05/26/2015 Page 5 of 11

() 10 g/l (as aqueous solution)

Boiling Point: Not applicable

Melting point/freezing

point

464 - 482 °F (240 - 250 °C)

Density:

Viscosity:

No data

Bulk Density: ()

no data available Vapor Pressure: Not applicable Vapor Density: no data available no data available

Fat Solubility: No data Solubility in Water: soluble Partition coefficient n-No data

octanol/water:

Evaporation Rate:

Not applicable

Product has oxidizing properties. Oxidizing:

Volatiles, % by vol.: Not applicable

VOC Content Not applicable This product does not contain any chemicals

> listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Not applicable **HAP Content**

SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary: Stable under normal conditions. Not sensitive to mechanical

> shock. Not sensitive to static discharge. Product will not undergo hazardous polymerization. Considered to be an OSHA oxidizer per 29 CFR 1910.1200. Not an oxidizer according to the

criteria established by the 49 CFR DOT regulations. NFPA Oxidizer Class: Meets the criteria of an NFPA Class 1 Oxidizer

Conditions to Avoid: Sparks, open flame, other ignition sources, and elevated

temperatures., Avoid high humidity., Contact with incompatible

substances

Chemical Incompatibility: This product is chemically reactive with many substances,

> including, e.g., other pool treatment products, acids, organics, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, corrosive, flammable or combustible materials., (Incompatible materials for

packaging: paper, cardboard)

Chlorine, Nitrogen trichloride, Carbon monoxide Hazardous Decomposition Products:

Decomposition Temperature: No data

SECTION 11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology

Oral LD50 value:

SODIUM DICHLORO-LD50 = 735 mg/kgRat

GLB GRANULAR

REVISION DATE: 05/26/2015 Page 6 of 11 S-TRIAZINE

TRIONEDIHYDRATE

Component Animal Toxicology

Dermal LD50 value:

SODIUM DICHLORO-

LD50 > 2,000 mg/kg Rabbit

S-TRIAZINE

TRIONEDIHYDRATE

Component Animal Toxicology

Inhalation LC50 value:

SODIUM DICHLORO- Inhalation LC50 1 h (aerosol dust), (Nose Only) Approximately 2.16 mg/l

S-TRIAZINE Rat

TRIONEDIHYDRATE

Inhalation LC50 4 h (aerosol dust), (Nose Only) Approximately 0.54 mg/l

Rat

Product Animal Toxicity

<u>Oral LD50 value</u>: LD50 = 735 mg/kg Rat Dermal LD50 value: LD50 > 2,000 mg/kg Rabbit

Inhalation LC50 1 h (aerosol dust), (Nose Only) Approximately 2.16 mg/l Rat

<u>value</u>: Inhalation LC50 4 h (aerosol dust), (Nose Only) Approximately 0.54 mg/l Rat

Skin Irritation: DRY MATERIAL CAUSES MODERATE SKIN IRRITATION., WET MATERIAL

CAUSES SKIN BURNS.

Eye Irritation: Corrosive to eyes.

Skin Sensitization: Negative skin sensitizer, guinea pig - Buehler Method

Acute Toxicity: This product is corrosive to all tissues contacted and upon inhalation, may cause

irritation to mucous membranes and respiratory tract. The dry material is irritating to

the skin. However when wet, it will produce burns to the skin.

Subchronic / Chronic

Toxicity:

There are no known or reported effects from repeated exposure., Toxicological

investigation indicates it does not produce significant effects from chronic

exposure.

Reproductive and

Developmental Toxicity:

This chemical has been tested in laboratory animals and no evidence of

teratogenicity or fetotoxicity was seen.

Mutagenicity: This product was determined to be non-mutagenic in the Ames assay.

Carcinogenicity: This product is not known or reported to be carcinogenic by any reference

source including IARC, OSHA, NTP or EPA.

SECTION 12. ECOLOGICAL INFORMATION

Overview: Highly toxic to fish and other aquatic organisms.

GLB GRANULAR

REVISION DATE: 05/26/2015 Page 7 of 11

Ecological Toxicity Values for: SODIUM DICHLORO-S-TRIAZINE TRIONEDIHYDRATE

Rainbow trout (Salmo gairdneri), - (nominal, flow-through) 96 h LC50 = 0.22 mg/l

Bluegill - (nominal, flow-through) 96 h LC50 = 0.28 mg/l

Water flea (Daphnia magna), - (nominal, static). 48 h LC50= 0.196 mg/l

Mallard duck - Oral LD50 = 3,300 mg/kg

Bobwhite quail - Oral LD50 = 730 mg/kg
Mallard duck - 8 d Dietary LC50 > 10.000 n

Mallard duck - 8 d Dietary LC50 > 10,000 mg/kg Bobwhite quail - 8 d Dietary LC50 > 10,000 mg/kg

SECTION 13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary: If this product becomes a waste, it will be a nonhazardous waste

according to U.S. RCRA regulations. Dispose of in accordance with all Local, State, Federal, and Provincial Environmental Regulations.

Disposal Methods: As a nonhazardous waste, it should be disposed of in accordance

with local, state and federal regulations.

Potential US EPA Waste Codes: Not applicable

SECTION 14. TRANSPORT INFORMATION

DOT

UN number : 3077

Description of the goods : Environmentally hazardous substances, solid, n.o.s.

: (Sodium dichloro-s-triazine trionedihydrate)

Class : 9
Packing group : III
Labels : 9
Emergency Response : 171

Guidebook Number

TDG

UN number : 3077

Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

GLB GRANULAR

REVISION DATE: 05/26/2015 Page 8 of 11

N.O.S.

(Sodium dichloro-s-triazine trionedihydrate)

Class : 9
Packing group : III
Labels : 9

IATA

UN number : 3077

Description of the goods : Environmentally hazardous substance, solid, n.o.s.

(Sodium dichloro-s-triazine trionedihydrate)

Class : 9
Packing group : III
Labels : 9MI
Packing instruction (cargo : 956

aircraft)

Packing instruction : 956

(passenger aircraft)

Packing instruction : Y956

(passenger aircraft)

IMDG-CODE

UN number : 3077

Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Sodium dichloro-s-triazine trionedihydrate)

Class : 9
Packing group : III
Labels : 9
EmS Number 1 : F-A
EmS Number 2 : S-F

Marine pollutant : yes

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Signal word : DANGER!

Hazard statements : Harmful if swallowed.

Harmful if absorbed through skin.

May be fatal if inhaled.

Corrosive. Causes skin burns.

Corrosive. Causes irreversible eye damage.

This pesticide is toxic to fish.

EPCRA - Emergency Planning and Community Right-to-Know Act

GLB GRANULAR

REVISION DATE: 05/26/2015 Page 9 of 11

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

sodium 51580-86-0

dichloroisocyanurate,

dihydrate

Pennsylvania Right To Know

sodium 51580-86-0

dichloroisocyanurate,

dihydrate

New Jersey Right To Know

GLB GRANULAR

REVISION DATE: 05/26/2015 Page 10 of 11

sodium 51580-86-0

dichloroisocyanurate,

dihydrate

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other

reproductive harm.

The components of this product are reported in the following inventories:

TSCA : This is an EPA registered pesticide.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

SECTIONS REVISED: 3, 5, 10

Major References : Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.

GLB GRANULAR